



Urology

Cystoscopy, Resectoscopy & other Specialities

Our Vision

"True to our vision **INNOVATING TRADITION.** it has always been our goal to not only provide our customers and healthcare professionals with an industry-leading value proposition through continuous innovation in our products and processes.


Ackermann

We believe that it is equally important to not lose sight of our roots and to preserve the craftsmanship that has been perfected over generations as an established family business. This enables us to maintain a productive and sustainable home for our staff and to improve clinical outcomes every single day in over 100 countries around the world."

Peter Grassl, CEO

+ 20k SKUs

As **Full-Range-System Manufacturer** we are able to provide you with a coherent product portfolio - from endoscopy to ligation, from implantology to general surgery.



Capabilities

+ Manufacturing

Surgical Instruments, Units, Implants, Optics

+ Regulatory

ISO 13485:2016, US FDA, CFDA, ANVISA,
COFEPRIS

+ Service

+ R&D



Global Player

Sales subsidiaries located in
Greece, India, USA & Mexico



Serving over
100
Countries

More than
80
Employees



3
Manufacturing
Sites

400
Strategic
Partners



Table of Contents

Product Range at a Glance



Urology Sets

Cystoscopy Sets

17 / 23 Fr. Cystoscopy Set	p. 6
Mini Compact Cystoscopy Set	p. 7

Resectoscopy Sets

24 / 26 Fr. Bipolar Resectoscopy Set	p. 8
24 / 26 Fr. Universal Resectoscopy Set	p. 9
17.5 / 18.5 Fr. Universal Resectoscopy Set	p. 10
27 / 28.5 Fr. Monopolar Resecto Set	p. 11
24 / 26 Fr. Monopolar Resecto Set	p. 12
19 / 22 Fr. Monopolar Resecto Set	p. 13

Laser Surgery Instrumentation Sets

23 Fr. Universal Laser Cysto Set	p. 14
24 / 26 Fr. Laser Resecto Set	p. 15
24 / 26 Fr. Laser Resecto Set, demountable	p. 16
24 / 26 Fr. Laser Resecto Set, 0.8 mm	p. 17
24 / 26 Fr. Laser Resecto Set, 1.2 mm	p. 18
19 / 22 Fr. Laser Resecto Set, 0.8 mm	p. 19
19 / 22 Fr. Laser Resecto Set, 1.2 mm	p. 20
17.5 / 18.5 Fr. Laser Resecto Set, 0.8 mm	p. 21
17.5 / 18.5 Fr. Laser Resecto Set, 1.2 mm	p. 22

Lithotripsy Sets

Mechanical Lithotripsy Set	p. 23
----------------------------	-------

Urethrotomy Sets

21 Fr. Visual Urethrotomy Set	p. 24
15 Fr. Visual Urethrotomy Set	p. 25

Nephroscopy Sets

24 / 26 Fr. Short Nephroscopy Set	p. 26
24 / 26 Fr. Standard Nephroscopy Set	p. 27
Compact Nephroscopy Set	p. 28
Mini Nephroscopy Set	p. 29

Uretero-Renoscopia Sets

FullHD Uretero-Renoscopia Set	p. 30
Thin HD Uretero-Renoscopia Set	p. 31
Ultra-Thin HD Uretero-Renoscopia Set	p. 32

Cystoscopy

Adults & Adolescents

FullHD Cystoscopes	p. 36
Cysto-Uretero Sheaths & Obturators	p. 38
Optical Instruments	p. 41
Telescope Bridges	p. 43
Albarran Deflectors	p. 44
Flexible & Semi-Rigid Instruments	p. 46
Flexible Monopolar Electrodes	p. 50
Flexible Bipolar Electrodes	p. 51
Dormia Stone Baskets	p. 51

Pediatrics

Compact Mini Cystoscopes	p. 52
Cysto-Uretero Sheaths & Obturators	p. 54
Flexible & Semi-Rigid Instruments	p. 55
Monopolar Electrodes	p. 56
Telescope Bridge	p. 56
Albarran Deflector	p. 56
Flexible Cystoscope	p. 59

Resectoscopy

Bipolar Resectoscopy

Bipolar Working Elements	p. 63
Bipolar Electrodes	p. 63
Resectoscopy Sheaths & Obturators	p. 65

Universal Resectoscopy

Universal Working Elements	p. 71
Universal Electrodes	p. 72
Resectoscopy Sheaths & Obturators	p. 74

Monopolar Resectoscopy

Monopolar Working Elements	p. 79
Monopolar Electrodes	p. 79
Resectoscopy Sheaths & Obturators	p. 82

Lithotripsy

Lithotripsy Sheaths & Obturators	p. 92
Mauermayer Stone Punch	p. 93
Stone Lithotripter "The Beast"	p. 93
Optical Stone Forceps & Adapter	p. 93

Urethrotomy

Adults & Adolescents

Working Elements	p. 98
Urethrotomy Sheaths & Obturators	p. 99
Cold Knives	p. 101
Otis Urethrotome	p. 102

Pediatrics

Working Elements	p. 103
Urethrotomy Sheaths & Obturators	p. 103
Cold Knives	p. 104

Nephroscopy

Short & Standard Nephroscopy

Short & Standard Nephroscopes	p. 108
Nephroscopy Sheaths & Obturators	p. 110
Rigid Instruments	p. 111

Compact Nephroscopy

Compact Nephroscope	p. 114
Compact Nephro. Sheath & Obturator	p. 115
Rigid Instruments	p. 116

Mini Nephroscopy

Mini Nephroscope	p. 118
Mini Nephro. Sheaths & Obturators	p. 119
Semi-Rigid Instruments	p. 120
Dilators & Guide Wires	p. 122

Uretero-Renoscapy

Uretero-Renoscopes	p. 126
Flexible & Semi-Rigid Instruments	p. 128
Flexible Uretero-Renoscope	p. 133
Instruments for Flexible URS	p. 134

Accessories for Urology

Speciality Instruments

Bougies by Dittel	p. 138
Bladder Syringe	p. 139
Strauss Penis Clamp	p. 140
Ellik Evacuator	p. 140

Connection Cables

Bipolar Cables	p. 141
Universal Cable	p. 141
Monopolar Cables	p. 142

17 / 23 Fr. Cystoscopy Set

1 x FullHD Cystoscope, Ø 4 mm, 30°, 300 mm	# 32-4020HD
1 x Cysto sheath incl. obturator, 2 lateral stopcocks, Ø 17 Fr.	# 32-4070
1 x Cysto sheath incl. obturator, 2 lateral stopcocks, Ø 23 Fr.	# 32-4085
1 x Telescope bridge with 2 instrument channels	# 32-4105
1 x Albarran deflector with 2 instrument channels, lockable	# 32-4115
1 x Flexible ball electrode, monopolar, Ø 5 Fr., 470 mm	# 32-4202
1 x Flexible ball electrode, monopolar, Ø 7 Fr., 470 mm	# 32-4150
1 x Biopsy forceps, Ø 7 Fr., flexible, 400 mm	# 32-4120
1 x Serrated grasping forceps, Ø 7 Fr., flexible, 400 mm	# 32-4130
1 x Scissors, Ø 7 Fr., flexible, 400 mm	# 32-4136
1 x Dormia stone basket, Ø 5 Fr., 4 wires, 600 mm	# 32-4204
1 x Handle for dormia stone basket, Ø 5 Fr	# 32-4211
1 x Optical biopsy spoon, 4.3 mm, double-action, spoon-type	# 32-4055
1 x Bladder syringe, 150 ml	# 32-4395-150
1 x Ellik evacuator	# 32-4106
1 x Monopolar cable, for use with monopolar Urology instruments, 3 m	# 11-1260UR



Mini Compact Cystoscopy Set

For Pediatrics

1x Mini Compact Cystoscope, for instruments up to Ø 4 mm

32-4012

1x Serrated grasping forceps, Ø 3 Fr., 280 mm

32-4160

1x Biopsy forceps, Ø 3 Fr., 280 mm


32-4162



24 / 26 Fr. Bipolar Resectoscopy Set

For Adults

- | | |
|---|-------------|
| 1 x FullHD Cystoscope, Ø 4 mm, 30°, 300 mm | # 32-4020HD |
| 1 x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 24 / 26 Fr. | # 32-4205RR |
| 1 x Visual obturator with Ø 8 Fr. working channel for Ø 24 / 26 Fr. resectoscopy sheath | # 32-4228-6 |
| 1 x Bipolar working element, closed handle, passive | # 32-4220BP |
| 1 x Loop electrode 30°, Ø 24 Fr., bipolar | # 32-4240BP |
| 1 x Ball electrode Ø 3 mm, Ø 24 Fr., bipolar | # 32-4250BP |
| 1 x Knife electrode , Ø 24 Fr., bipolar | # 32-4265BP |
| 1 x Protection- and autoclaving tube for electrodes and cold knives | # 32-4230 |
| 1 x Bipolar cable for use with bipolar resectoscope, 3 m | # 13-1641UR |



24 / 26 Fr. Universal Resectoscopy Set

For Adults

- | | |
|--|----------------|
| 1x FullHD Cystoscope, Ø 4 mm, 30°, 300 mm | # 32-4020HD |
| 1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 24 / 26 Fr. | # 32-4205RR |
| 1x Visual obturator with Ø 8 Fr. working channel for Ø 24 / 26 Fr. resectoscopy sheath | # 32-4228-6 |
| 1x Universal working element, closed handle, passive | # 32-4220U |
| 1x Loop electrode 30°, Ø 24 Fr., universal | # 32-4240U |
| 1x Ball electrode Ø 3 mm, Ø 24 Fr., universal | # 32-4250U |
| 1x Knife electrode , Ø 24 Fr., universal | # 32-4265U |
| 1x Protection- and autoclaving tube for electrodes and cold knives | # 32-4230 |
| 1x Neutral rubber electrode for adults, round plug, 5 m | # 16-2000-1212 |
| 1x Universal cable for use with universal resectoscope, 3 m | # 13-1641U |



17.5 / 18.5 Fr. Universal Resectoscopy Set

For Adolescents

- | | |
|---|----------------|
| 1 x FullHD Cystoscope, Ø 2.9 mm, 30°, 300 mm | # 32-4022HD |
| 1 x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 17.5 / 18.5 Fr., QL | # 32-4282RR |
| 1 x Visual obturator with Ø 5 Fr. working channel for Ø 17.5 / 18.5 Fr. resectoscopy sheath, QL | # 32-4342-17 |
| 1 x Universal working element, closed handle, passive, QL | # 32-4275U |
| 1 x Loop electrode 30°, Ø 17.5 Fr., universal | # 32-4287U |
| 1 x Ball electrode Ø 3 mm, Ø 17.5 Fr., universal | # 32-4288U |
| 1 x Knife electrode, Ø 17.5 Fr., universal | # 32-4289U |
| 1 x Protection- and autoclaving tube for electrodes and cold knives | # 32-4230 |
| 1 x Neutral rubber electrode for adults, round plug, 5 m | # 16-2000-1212 |
| 1 x Universal cable for use with universal resectoscope, 3 m | # 13-1641U |



27 / 28.5 Fr. Monopolar Resectoscopy Set

For Adults

- | | |
|--|---------------|
| 1x FullHD Cystoscope, Ø 4 mm, 30°, 300 mm | # 32-4020HD |
| 1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 27 / 28.5 Fr. | # 32-4221RR |
| 1x Visual obturator with Ø 9 Fr. working channel for Ø 27 / 28.5 Fr. resectoscopy sheath | # 32-4240-9 |
| 1x Monopolar working element, closed handle | # 32-4220 |
| 1x Loop electrode 90°, Ø 27 Fr., monopolar | # 32-4295 |
| 1x Loop electrode 30°, Ø 27 Fr., monopolar | # 32-4300 |
| 1x Loop electrode 0°, Ø 27 Fr., monopolar | # 32-4310 |
| 1x Protection- and autoclaving tube for electrodes and cold knives | # 32-4230 |
| 1x Bladder syringe, 150 ml | # 32-4395-150 |
| 1x Ellik evacuator | # 32-4106 |
| 1x Monopolar cable, for use with monopolar Urology instruments, 3 m | # 11-1260UR |



24 / 26 Fr. Monopolar Resectoscopy Set

For Adults


- | | |
|--|---------------|
| 1x FullHD Cystoscope, Ø 4 mm, 30°, 300 mm | # 32-4020HD |
| 1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 24 / 26 Fr. | # 32-4205RR |
| 1x Visual obturator with Ø 8 Fr. working channel for Ø 24 / 26 Fr. resectoscopy sheath | # 32-4228 |
| 1x Monopolar working element, closed handle | # 32-4220 |
| 1x Loop electrode 30°, Ø 24 Fr., monopolar | # 32-4240 |
| 1x Ball electrode Ø 3 mm, Ø 24 Fr., monopolar | # 32-4250 |
| 1x Ball electrode Ø 5 mm, Ø 24 Fr., monopolar | # 32-4260 |
| 1x Knife electrode , Ø 24 Fr., monopolar | # 32-4265 |
| 1x Protection- and autoclaving tube for electrodes and cold knives | # 32-4230 |
| 1x Bladder syringe, 150 ml | # 32-4395-150 |
| 1x Ellik evacuator | # 32-4106 |
| 1x Monopolar cable, for use with monopolar Urology instruments, 3 m | # 11-1260UR |



19 / 22 Fr. Monopolar Resectoscopy Set

For Adolescents

- | | |
|---|---------------|
| 1x FullHD Cystoscope, Ø 2.9 mm, 30°, 300 mm | # 32-4022HD |
| 1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 19 / 22 Fr. | # 32-4292RR |
| 1x Visual obturator for Ø 19 / 22 Fr. resectoscopy sheath | # 32-4342 |
| 1x Monopolar working element, closed handle | # 32-4275 |
| 1x Roller barrel electrode Ø 3 mm, Ø 19 Fr., monopolar | # 32-4274 |
| 1x Loop electrode 30°, Ø 19 Fr., monopolar | # 32-4277 |
| 1x Knife electrode, Ø 19 Fr., monopolar | # 32-4279 |
| 1x Protection- and autoclaving tube for electrodes and cold knives | # 32-4230 |
| 1x Bladder syringe, 150 ml | # 32-4395-150 |
| 1x Ellik evacuator | # 32-4106 |
| 1x Monopolar cable, for use with monopolar Urology instruments, 3 m | # 11-1260UR |



23 Fr. Universal Laser Cystoscopy Set

Lateral Laser Emission for PVP / HoLAP / ThuVAP

- | | |
|---|-------------|
| 1x FullHD Cystoscope, Ø 2.9 mm, 30°, 300 mm | # 32-4002HD |
| 1x Laser cysto-urethroscope sheath incl. obturator, continuous-flow, Ø 23 Fr. | # 32-4600 |
| 1x Visual obturator for 32-4600 | # 32-4601 |
| 1x Telescope bridge with Ø 8 Fr. laser channel | # 32-4602 |



Compatible with:

Greenlight® Fibers MoXy with Ø 2.1 mm / max. Ø 2.3 mm, Lumenis® Xpeeda (Duotome) with Ø 2.5 mm, Quantana SideFiber® with Ø 2.22 mm (± 5%), Biolitec SideFiber 2100® with Ø 2.4 mm

24 / 26 Fr. Laser Resectoscopy Set

Lateral Laser Emission for PVP / HoLAP / ThuVAP

- | | |
|---|-------------|
| 1x FullHD Cystoscope, Ø 4 mm, 30°, 300 mm | # 32-4020HD |
| 1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 24 / 26 Fr. | # 32-4205RR |
| 1x Laser working insert, channel for laser for probes up to 7 Fr. | # 32-4610 |



Compatible with:

Greenlight® Fibers MoXy with Ø 2.1 mm / max. Ø 2.3 mm, Quantana SideFiber® with Ø 2.22 mm (± 5%), Biolitec® XCAVATOR with Glass Tip

24 / 26 Fr. Laser Resectoscopy Set, demountable

Straight Laser Emission for HoLEP / ThuLEP

1x FullHD Cystoscope, Ø 4 mm, 30°, 300 mm	# 32-4020HD
1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 24 / 26 Fr.	# 32-4205RR
1x Adapter for insertion of laser probes	# 32-4607
1x Rubber reducer	# 11-1249-100
1x Laser working element, closed handle, passive, for exchangeable laser guiding pipes	# 32-4609
1x Guide pipe for laser probes Ø 0.8 mm, with retractor	# 32-4609-100R
1x Guide pipe for laser probes Ø 1.2 mm, with retractor	# 32-4609-300R
1x Guide pipe for laser probes Ø 1.4 mm, with retractor	# 32-4609-400R
1x Guide pipe for laser probes Ø 0.8 mm	# 32-4609-100
1x Guide pipe for laser probes Ø 1.0 mm	# 32-4609-200
1x Guide pipe for laser probes Ø 1.2 mm	# 32-4609-300
1x Guide pipe for laser probes Ø 1.4 mm	# 32-4609-400



Compatible with:

Lumenis® Slimline, EZ, GI with max. Ø 1.2 mm (3.6 Fr.), Lisa Laser® with RigiFib-SV, Quanta® Laser with Cyber™, Boston Scientific® with AccuMax

24 / 26 Fr. Laser Resectoscopy Set, Ø 0.8 mm

Straight Laser Emission for HoLEP / ThuLEP

- | | |
|---|---------------|
| 1x FullHD Cystoscope, Ø 4 mm, 30°, 300 mm | # 32-4020HD |
| 1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 24 / 26 Fr. | # 32-4205RR |
| 1x Laser working element, closed handle, passive, channel for probes up to Ø 0.8 mm | # 32-4603 |
| 1x Adapter for insertion of laser probes | # 32-4607 |
| 1x Rubber reducer | # 11-1249-100 |



Compatible with:

Lumenis® Slimline, EZ, GI with max. Ø 1.2 mm (3.6 Fr.), Lisa Laser® with RigiFib-SV, Quanta® Laser with Cyber™, Boston Scientific® with AccuMax

24 / 26 Fr. Laser Resectoscopy Set, Ø 1.2 mm

Straight Laser Emission for HoLEP / ThuLEP

- | | |
|---|---------------|
| 1x FullHD Cystoscope, Ø 4 mm, 30°, 300 mm | # 32-4020HD |
| 1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 24 / 26 Fr. | # 32-4205RR |
| 1x Laser working element, closed handle, passive, channel for probes up to Ø 1.2 mm | # 32-4604 |
| 1x Adapter for insertion of laser probes | # 32-4607 |
| 1x Rubber reducer | # 11-1249-100 |



Compatible with:

Lumenis® Slimline, EZ, GI with max. Ø 1.2 mm (3.6 Fr.), Lisa Laser® with RigiFib-SV, Quanta® Laser with Cyber™, Boston Scientific® with AccuMax

19 / 22 Fr. Laser Resectoscopy Set, Ø 0.8 mm

Straight Laser Emission for HoLEP / ThuLEP

- | | |
|--|---------------|
| 1 x FullHD Cystoscope, Ø 2.9 mm, 30°, 300 mm | # 32-4022HD |
| 1 x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 19 / 22 Fr. | # 32-4292RR |
| 1 x Laser working element, closed handle, passive, channel for probes up to Ø 0.8 mm | # 32-4605 |
| 1 x Adapter for insertion of laser probes | # 32-4607 |
| 1 x Rubber reducer | # 11-1249-100 |



Compatible with:

Lumenis® Slimline, EZ, GI with max. Ø 1.2 mm (3.6 Fr.), Lisa Laser® with RigiFib-SV, Quanta® Laser with Cyber™, Boston Scientific® with AccuMax

19 / 22 Fr. Laser Resectoscopy Set, Ø 1.2 mm

Straight Laser Emission for HoLEP / ThuLEP

- | | |
|---|---------------|
| 1x FullHD Cystoscope, Ø 2.9 mm, 30°, 300 mm | # 32-4022HD |
| 1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 19 / 22 Fr. | # 32-4292RR |
| 1x Laser working element, closed handle, passive, channel for probes up to Ø 1.2 mm | # 32-4606 |
| 1x Adapter for insertion of laser probes | # 32-4607 |
| 1x Rubber reducer | # 11-1249-100 |



Compatible with:

Lumenis® Slimline, EZ, GI with max. Ø 1.2 mm (3.6 Fr.), Lisa Laser® with RigiFib-SV, Quanta® Laser with Cyber™, Boston Scientific® with AccuMax

17.5 / 18.5 Fr. Laser Resectoscopy Set, Ø 0.8 mm

Straight Laser Emission for HoLEP / ThuLEP

- | | |
|---|---------------|
| 1x FullHD Cystoscope, Ø 2.9 mm, 30°, 300 mm | # 32-4022HD |
| 1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 17.5 / 18.5 Fr. | # 32-4282RR |
| 1x Laser working element, closed handle, passive, channel for probes up to Ø 0.8 mm | # 32-4605 |
| 1x Adapter for insertion of laser probes | # 32-4607 |
| 1x Rubber reducer | # 11-1249-100 |



Compatible with:

Lumenis® Slimline, EZ, GI with max. Ø 1.2 mm (3.6 Fr.), Lisa Laser® with RigiFib-SV, Quanta® Laser with Cyber™, Boston Scientific® with AccuMax

17.5 / 18.5 Fr. Laser Resectoscopy Set, Ø 1.2 mm

Straight Laser Emission for HoLEP / ThuLEP

- | | |
|---|---------------|
| 1x FullHD Cystoscope, Ø 2.9 mm, 30°, 300 mm | # 32-4022HD |
| 1x Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 17.5 / 18.5 Fr. | # 32-4282RR |
| 1x Laser working element, closed handle, passive, channel for probes up to Ø 1.2 mm | # 32-4606 |
| 1x Adapter for insertion of laser probes | # 32-4607 |
| 1x Rubber reducer | # 11-1249-100 |



Compatible with:

Lumenis® Slimline, EZ, GI with max. Ø 1.2 mm (3.6 Fr.), Lisa Laser® with RigiFib-SV, Quanta® Laser with Cyber™, Boston Scientific® with AccuMax

Mechanical Lithotripsy Set

1 x FullHD Cystoscope, Ø 4 mm, 0°, 300 mm	# 32-4000HD
1 x FullHD Cystoscope, Ø 4 mm, 30°, 300 mm	# 32-4020HD
1 x Mauermayer stone punch, for small stones and fragments, QL	# 32-4069
1 x Lithotripsy sheath incl. obturator, central valve, Ø 24 Fr., QL	# 32-4061
1 x Visual obturator for lithotripsy sheath, Ø 24 Fr., Ø 7 Fr. working channel, QL	# 32-4062
1 x Optical stone forceps, for small stones and stone fragments only	# 32-4066
1 x Cysto-urethroscope sheath incl. obturator, 2 lateral stopcocks, Ø 25 Fr.	# 32-4090
1 x Ellik evacuator	# 32-4106



21 Fr. Visual Urethrotomy Set

For Adults - NO HF !

- | | |
|---|---------------|
| 1 x FullHD Cystoscope, Ø 4 mm, 0°, 300 mm | # 32-4000HD |
| 1 x Urethrotomy sheath incl. obturator, 1 instrument channel, 2 lateral stopcocks, Ø 21 Fr. | # 32-4370 |
| 1 x Monopolar working element, closed handle, passive | # 32-4220 |
| 1 x Wave-cut cold knife, Ø 21 Fr. | # 32-4384 |
| 1 x Half-round cold knife , Ø 21 Fr. | # 32-4389 |
| 1 x Straight "Sachse" cold knife, Ø 21 Fr. | # 32-4390 |
| 1 x Telescope bridge with 1 instrument channel, Ø 21 Fr. | # 32-4380 |
| 1 x Urethrotome outer sheath for balloon catheter, use with 32-4370 | # 32-4375 |
| 1 x Urethrotome outer sheath for continuous-flow, use with 32-4370 | # 32-4376 |
| 1 x Bladder syringe, 150 ml | # 32-4395-150 |
| 1 x Otis urethrotome | # 32-4391 |
| 1 x Protection- and autoclaving tube for electrodes and cold knives | # 32-4230 |



15 Fr. Visual Urethrotomy Set

For Adolescents - NO HF !

- | | |
|--|--------------|
| 1x FullHD Cystoscope, Ø 2.9 mm, 0°, 300 mm | # 32-4002HD |
| 1x Urethrotomy sheath incl. obturator, 1 instrument channel, 2 lateral stopcocks, Ø 15 Fr. | # 32-4370-15 |
| 1x Working element, closed handle, passive, w/o HF-connector | # 32-4220UT |
| 1x Wave-cut cold knife, Ø 15 Fr. | # 32-4384-15 |
| 1x Half-round cold knife , Ø 15 Fr. | # 32-4389-15 |
| 1x Straight "Sachse" cold knife, Ø 15 Fr. | # 32-4390-15 |
| 1x Telescope bridge with 1 instrument channel with Ø 5 Fr., Ø 15 Fr. | # 32-4380-15 |



24 / 26 Fr. Short Nephroscopy Set

200 mm

- | | |
|--|--------------|
| 1 x Short Nephroscope, Ø 4.8 mm, 6° viewing angle, 90° ocular, 200 mm | # 70-8201 |
| 1 x Nephroscopy sheath incl. obturator, 1 stopcock, rotatable, Ø 24 Fr., 200 mm | # 70-8205-24 |
| 1 x Nephroscopy sheath incl. obturator, 1 stopcock, rotatable, Ø 26 Fr., 200 mm | # 70-8205 |
| 1 x Telescope dilation sheath set, 6 pcs., 9/12/15/18/21/24 Fr., 1x rigid and 1x flexible guide wire | # 70-8206 |
| 1 x Dilator in 27 Fr. | # 70-8208 |
| 1 x Dilator in 30 Fr. | # 70-8208-30 |
| 1 x Stone grasping forceps, Ø 3 mm, rigid, ring handle, flushable, 400 mm | # 70-8220 |
| 1 x Biopsy spoon, Ø 3 mm, rigid, ring handle, flushable, 400 mm | # 70-8225 |
| 1 x Serrated grasping forceps, Ø 3 mm, rigid, ring handle, flushable, 400 mm | # 70-8230 |



24 / 26 Fr. Standard Nephroscopy Set

250 mm


- | | |
|--|---------------|
| 1 x Standard Nephroscope, Ø 4.8 mm, 6° viewing angle, 90° ocular, 250 mm | # 70-8201-250 |
| 1 x Nephroscopy sheath incl. obturator, 1 stopcock, rotatable, Ø 24 Fr., 250 mm | # 70-8204-24 |
| 1 x Nephroscopy sheath incl. obturator, 1 stopcock, rotatable, Ø 26 Fr., 250 mm | # 70-8204 |
| 1 x Telescope dilation sheath set, 6 pcs., 9/12/15/18/21/24 Fr., 1x rigid and 1x flexible guide wire | # 70-8206 |
| 1 x Dilator in 27 Fr. | # 70-8208 |
| 1 x Dilator in 30 Fr. | # 70-8208-30 |
| 1 x Stone grasping forceps, Ø 3 mm, rigid, ring handle, flushable, 400 mm | # 70-8220 |
| 1 x Biopsy spoon, Ø 3 mm, rigid, ring handle, flushable, 400 mm | # 70-8225 |
| 1 x Serrated grasping forceps, Ø 3 mm, rigid, ring handle, flushable, 400 mm | # 70-8230 |



Compact Nephroscopy Set

250 mm

- | | |
|---|-------------|
| 1x Standard Nephroscope, Ø 4.8 mm, 6° viewing angle, 90° ocular, 200 mm | # 70-8200C |
| 1x Nephroscopy OP sheath incl. obturator, for use with Amplatz sheath, Ø 24 Fr. | # 70-8209 |
| 1x Amplatz Sheath, for use with 70-8209 | # 70-8209A |
| 1x Small stone grasping forceps, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm | # 70-8255SR |
| 1x Biopsy spoon, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm | # 70-8260SR |
| 1x Medium stone grasping forceps, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm | # 70-8275SR |



Mini Nephroscopy Set

220 mm

- | | | |
|--|---------------|--|
| 1 x Mini Nephroscope, 220 mm | # 70-8200MINI |  |
| 1 x Nephroscopy OP sheath incl. obturator, continuous-flow, Ø 15 / 18 Fr. | # 70-8211 |  |
| 1 x Nephroscopy OP sheath incl. obturator, continuous-flow, Ø 16.5 / 19.5 Fr. | # 70-8212 |  |
| 1 x Nephroscopy OP sheath incl. obturator, continuous-flow, Ø 21 / 24 Fr. | # 70-8213 |  |
| 1 x Dilator for nephroscopy OP sheath, 1 x cannulated, Ø 15 / 18 Fr. | # 70-8211D |  |
| 1 x Dilator for nephroscopy OP sheath, 2 x cannulated, Ø 16.5 / 19.5 Fr. | # 70-8212D |  |
| 1 x Dilator for nephroscopy OP sheath, 2 x cannulated, Ø 21 / 24 Fr. | # 70-8213D |  |
| 1 x Small stone grasping forceps, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm | # 70-8255SR |  |
| 1 x Biopsy spoon, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm | # 70-8260SR |  |
| 1 x Medium stone grasping forceps, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm | # 70-8275SR |  |

FullHD Standard Uretero-Renoscropy Set

- | | |
|--|-----------|
| 1 x Ultra Thin HD Uretero-Renoscope, for instruments up to Ø 5 Fr., 310 mm | # 70-8001 |
| 1 x Dormia stone basket, Ø 5 Fr., 4 wires, 600 mm | # 70-8035 |
| 1 x Handle for dormia stone basket, Ø 5 Fr. | # 32-4211 |
| 1 x Small stone grasping forceps, Ø 5 Fr., flexible, 600 mm | # 70-8010 |
| 1 x Biopsy spoon, Ø 5 Fr., flexible, 600 mm | # 70-8015 |
| 1 x Medium stone grasping forceps, Ø 5 Fr., flexible, 600 mm | # 70-8020 |
| 1 x Large stone grasping forceps, Ø 5 Fr., flexible, 600 mm | # 70-8025 |



Thin HD Uretero-Renoscropy Set

1x Ultra Thin HD Uretero-Renoscope, for instruments up to
Ø 4 Fr., 310 mm

70-8001T



1x Small stone grasping forceps, Ø 4 Fr., flexible, 600 mm

70-8010-4



1x Biopsy spoon, Ø 4 Fr., flexible, 600 mm

70-8015-4



1x Medium stone grasping forceps, Ø 4 Fr., flexible, 600 mm

70-8020-4



1x Large stone grasping forceps, Ø 4 Fr., flexible, 600 mm

70-8025-4



Ultra-Thin HD Uretero-Renoscropy Set

1x Ultra Thin HD Uretero-Renoscope, for instruments up to
Ø 3 Fr., 310 mm

70-8001UT



1x Small stone grasping forceps, Ø 3 Fr., flexible, 600 mm

70-8010-3



1x Medium stone grasping forceps, Ø 3 Fr., flexible, 600 mm

70-8020-3



1x Scissors, Ø 3 Fr., flexible, 600 mm

70-8030-3





Cystoscopy

Table of Contents

FullHD Cystoscopes / **p. 36 - 37**

Cysto-Urethroscope Sheaths & Obturators / **p. 38 - 40 & 54**

Optical Instruments, Telescope Bridges & Albarran Deflectors / **p. 41 - 43 & 56**

Flexible & Semi-Rigid Instruments / **p. 46 - 49 & 55 - 56**

Electrodes & Dormia Stone Baskets / **p. 50 - 51**

Compact Mini Cystoscopes / **p. 52 - 53**

Flexible Cystoscope / **p. 58 - 59**





FullHD Cystoscopes

Key Features

- Available in **FullHD resolution**
- **Sapphire glass lense** at proximal and distal end
- Nitrogen filled optical system to **avoid fogging** from the inside
- Three-tube construction for **more stability**
- Sealing by **laser welding** with **excellent** optical transmission
- **Autoclavable**




FULL HD	DISTORTION FREE	AUTO CLAVABLE
2.9 mm DIAMETER	4 mm DIAMETER	<0° ANGLE
<12° ANGLE	<30° ANGLE	<70° ANGLE

... more Features

- Made of high-quality stainless steel
- Sophisticated, anti-reflective optical system
- Powerful optical fibers
- Highly refractive lenses for optimum colour rendering even at high magnification
- Light cable adapters to Ackermann, Storz¹, Olympus¹, Wolf¹, ACMI¹
- High-quality glass cone for optimizing light input
- Standard C-Mount coupling
- Extremely precise centering of the optical and mechanical components for a brilliant and high-contrast image right up to the edge area the inside



FullHD Cystoscopes



	Diameter		Viewing angle				Item no.
	Ø 2.9 mm	Ø 4 mm	0°	12°	30°	70°	
FullHD Cystoscope, 300 mm	•		•				32-4002HD
FullHD Cystoscope, 300 mm		•	•				32-4000HD
FullHD Cystoscope, 300 mm	•			•			32-4015HD
FullHD Cystoscope, 300 mm		•		•			32-4010HD
FullHD Cystoscope, 300 mm	•				•		32-4022HD
FullHD Cystoscope, 300 mm		•			•		32-4020HD
FullHD Cystoscope, 300 mm		•				•	32-4030HD

Cysto-Urethroscope Sheaths incl. Obturator

2 Lateral Stopcocks / Adults & Adolescents



QL

	Diameter	For use with scope		Color coding	Item no.
		Ø 2.9 mm	Ø 4 mm		
Cysto-Urethroscope sheath incl. obturator, 2 lateral stopcocks includes Cysto-Urethroscope sheath, 2 lateral stopcocks, Ø 15 Fr., 32-4074S 5 Fr. working channel and Standard obturator for 32-4074S 32-40740	Ø 15 Fr.	•		●	32-4074
Cysto-Urethroscope sheath incl. obturator, 2 lateral stopcocks includes Cysto-Urethroscope sheath, 2 lateral stopcocks, Ø 15 Fr. 32-4073S and Standard obturator for 32-4073S 32-40730	Ø 16 Fr.	•		●	32-4073
Cysto-Urethroscope sheath incl. obturator, 2 lateral stopcocks includes Cysto-Urethroscope sheath, 2 lateral stopcocks, Ø 17 Fr. 32-4070S and Standard obturator for 32-4070S 32-40700	Ø 17 Fr.		•	●	32-4070
Cysto-Urethroscope sheath incl. obturator, 2 lateral stopcocks includes Cysto-Urethroscope sheath, 2 lateral stopcocks, Ø 19 Fr. 32-4075S and Standard obturator for 32-4075S 32-40750	Ø 19 Fr.		•	●	32-4075
Cysto-Urethroscope sheath incl. obturator, 2 lateral stopcocks includes Cysto-Urethroscope sheath, 2 lateral stopcocks, Ø 21 Fr. 32-4080S and Standard obturator for 32-4080S 32-40800	Ø 21 Fr.		•	●	32-4080
Cysto-Urethroscope sheath incl. obturator, 2 lateral stopcocks includes Cysto-Urethroscope sheath, 2 lateral stopcocks, Ø 23 Fr. 32-4085S and Standard obturator for 32-4085S 32-40850	Ø 23 Fr.		•	●	32-4085
Cysto-Urethroscope sheath incl. obturator, 2 lateral stopcocks includes Cysto-Urethroscope sheath, 2 lateral stopcocks, Ø 25 Fr. 32-4090S and Standard obturator for 32-4090S 32-40900	25 Fr.		•	●	32-4090

Cysto-Urethroscope Sheaths incl. Obturator

Central Valve / Adults & Adolescents



		Diameter	Color coding	Item no.
Cysto-Urethroscope sheath incl. obturator, central valve for use with Ø 4 mm scope		Ø 17 Fr.	●	32-4072
includes	Cysto-Urethroscope sheath, central valve, Ø 17 Fr.	32-4072S		
and	Standard obturator for 32-4072S	32-40700		
Cysto-Urethroscope sheath incl. obturator, central valve for use with Ø 4 mm scope		Ø 19 Fr.	●	32-4077
includes	Cysto-Urethroscope sheath, central valve, Ø 19 Fr.	32-4077S		
and	Standard obturator for 32-4077S	32-40750		
Cysto-Urethroscope sheath incl. obturator, central valve for use with Ø 4 mm scope		Ø 21 Fr.	●	32-4082
includes	Cysto-Urethroscope sheath, central valve, Ø 21 Fr.	32-4082S		
and	Standard obturator for 32-4082S	32-40800		
Cysto-Urethroscope sheath incl. obturator, central valve for use with Ø 4 mm scope		Ø 23 Fr.	●	32-4087
includes	Cysto-Urethroscope sheath, central valve, Ø 23 Fr.	32-4087S		
and	Standard obturator for 32-4087S	32-40850		
Cysto-Urethroscope sheath incl. obturator, central valve for use with Ø 4 mm scope		Ø 23 Fr.	●	32-4092
includes	Cysto-Urethroscope sheath, central valve, Ø 25 Fr.	32-4092S		
and	Standard obturator for 32-4092S	32-40900		

Standard Obturators for Cysto-Urethroscope Sheaths

For Use with Sheaths with 2 Lateral Stopcocks and Central Valve / Adults & Adolescents



	For use with scope		Diameter	Color coding	Item no.
	Ø 2.9 mm	Ø 4 mm			
Standard obturator for cysto-urethroscope sheath	•		15 Fr.	●	32-40740
Standard obturator for cysto-urethroscope sheath		•	17 Fr.	●	32-40700
Standard obturator for cysto-urethroscope sheath		•	19 Fr.	●	32-40750
Standard obturator for cysto-urethroscope sheath		•	21 Fr.	●	32-40800
Standard obturator for cysto-urethroscope sheath		•	23 Fr.	●	32-40850
Standard obturator for cysto-urethroscope sheath		•	25 Fr.	○	32-40900

Visual Obturators for Cysto-Urethroscope Sheaths

For Use with Sheaths with 2 Lateral Stopcocks and Central Valve / Adults & Adolescents



	Diameter	Color coding	Item no.
Visual obturator for cysto-urethroscope-sheath, for use with Ø 4 mm scope	17 Fr.	●	32-4071
Visual obturator for cysto-urethroscope-sheath, for use with Ø 4 mm scope	19 Fr.	●	32-4076
Visual obturator for cysto-urethroscope-sheath, for use with Ø 4 mm scope	21 Fr.	●	32-4081
Visual obturator for cysto-urethroscope-sheath, for use with Ø 4 mm scope	23 Fr.	●	32-4086
Visual obturator for cysto-urethroscope-sheath, for use with Ø 4 mm scope	25 Fr.	○	32-4091

Optical Grasping Forceps

For Use with 17 Fr. Cystoscopy Sheath or Resectoscopy Sheath plus 32-4067 / 32-4068



Item no.

Optical grasping forceps, 4.3 mm, double-action, for 30° scope

32-4050

Optical Biopsy Spoon

For Use with 17 Fr. Cystoscopy Sheath or Resectoscopy Sheath plus 32-4067 / 32-4068




Item no.

Optical biopsy spoon, 4.3 mm, double-action, spoon-type

32-4055

Optical Biopsy Spoon

For Use with 17 Fr. Cystoscopy Sheath or Resectoscopy Sheath plus 32-4067 / 32-4068



Item no.

Optical biopsy spoon, 2.3 mm, double-action, for 70° scope

32-4056

Optical Scissors

For Use with 17 Fr. Cystoscopy Sheath or Resectoscopy Sheath plus 32-4067 / 32-4068




Item no.

Optical scissors, hook-shaped, double-action

32-4060

Optical Biopsy Punch

For Use with 17 Fr. Cystoscopy Sheath or Resectoscopy Sheath plus 32-4067 / 32-4068



Item no.

Optical biopsy punch, through-cutting, for 30° scope

32-4065

Adapter for Optical Forceps



Item no.

Adapter for optical forceps 32-4066, use with Ackermann resectoscopy outer sheaths

32-4067

Adapter for Optical Forceps



Item no.

Adapter for optical forceps, use with Ackermann resectoscopy inner sheaths

32-4068

Telescope Bridge

For Diagnostics




Item no.

Telescope bridge for diagnostics, suitable for 17 - 25 Fr. cysto-sheath

32-4095

Telescope Bridge

With 1 Instrument Channel




Item no.

Telescope bridge with 1 instrument channel, suitable for 17 - 25 Fr. cysto-sheath

32-4100

Telescope Bridge

With 2 Instrument Channels



	Item no.
Telescope bridge with 2 instrument channels, suitable for 17 - 25 Fr. cysto-sheath	32-4105

Albarran Deflector

With 1 Instrument Channel



	Item no.
Albarran deflector with 1 instrument channel, lockable, suitable for cysto-sheaths from 17 Fr.	32-4110

Albarran Deflector

With 2 Instrument Channels



	Item no.
Albarran deflector with 2 instrument channels, lockable, suitable for cysto-sheaths from 17 Fr.	32-4115

Instrument Compatibility Matrix

For Cysto-Urethroscope Sheaths with Instruments

Telescope bridge 32-4100, 1 instrument channel	Telescope bridge 32-4105, 2 instrument channels	Albarran 32-4110, 1 instrument channel	Albarran 32-4115, 2 instrument channels	Color coding of sheath
1 x 5 Fr.	2 x 4 Fr.	1 x 5 Fr.	2 x 4 Fr.	
1 x 6 Fr.	2 x 5 Fr.	1 x 5 Fr.	2 x 4 Fr.	
1 x 7 Fr.	2 x 5 Fr.	1 x 6 Fr.	2 x 5 Fr.	
1 x 9 Fr.	2 x 6 Fr.	1 x 9 Fr.	2 x 5 Fr.	
1 x max. 10 Fr.	2 x 8 Fr.	1 x max. 10 Fr.	2 x 8 Fr.	

Biopsy Forceps


For Adults & Adolescents



	Diameter				Type		Item no.
	Ø 4 Fr.	Ø 5 Fr.	Ø 7 Fr.	Ø 9 Fr.	flexible	semi-rigid	
Biopsy forceps, 400 mm	•				•		32-4121-4
Biopsy forceps, 400 mm		•			•		32-4121
Biopsy forceps, 400 mm			•		•		32-4120
Biopsy forceps, 400 mm				•	•		32-4120-9
Biopsy forceps, 400 mm	•					•	32-4121-4SR
Biopsy forceps, 400 mm		•				•	32-4121SR
Biopsy forceps, 400 mm			•			•	32-4120SR
Biopsy forceps, 400 mm				•		•	32-4120-9SR

Cupped Grasping Forceps

For Adults & Adolescents



	Item no.
Cupped grasping forceps, serrated, flexible, Ø 4 Fr., 600 mm	32-4123

Foreign Body Forceps

For Adults & Adolescents



	Diameter		Type		Item no.
	Ø 5 Fr.	Ø 7 Fr.	flexible	semi-rigid	
Foreign body forceps, retrograde, 400 mm	•		•		32-4126
Foreign body forceps, retrograde, 400 mm		•	•		32-4125
Foreign body forceps, retrograde, 400 mm	•			•	32-4126SR
Foreign body forceps, retrograde, 400 mm		•		•	32-4125SR

Foreign Body Forceps

For Adults & Adolescents



	Item no.
Foreign body forceps, teeth interlock, sharp cutting edge, flexible, Ø 4 Fr., 600 mm	32-4128

Serrated Grasping Forceps


For Adults & Adolescents



	Diameter				Type		Item no.
	Ø 4 Fr.	Ø 5 Fr.	Ø 7 Fr.	Ø 9 Fr.	flexible	semi-rigid	
Serrated grasping forceps, retrogr., 400 mm	•				•		32-4131-4
Serrated grasping forceps, retrogr., 400 mm		•			•		32-4131
Serrated grasping forceps, retrogr., 400 mm			•		•		32-4130
Serrated grasping forceps, retrogr., 400 mm				•	•		32-4130-9
Serrated grasping forceps, retrogr., 400 mm	•					•	32-4131-4SR
Serrated grasping forceps, retrogr., 400 mm		•				•	32-4131SR
Serrated grasping forceps, retrogr., 400 mm			•			•	32-4130SR
Serrated grasping forceps, retrogr., 400 mm				•		•	32-4130-9SR

Serrated Grasping Forceps

For Adults & Adolescents



	Item no.
Serrated grasping forceps, teeth interlocks, flexible, Ø 4 Fr., 600 mm	32-4133

Scissors


For Adults & Adolescents



	Diameter			Type		Item no.
	Ø 5 Fr.	Ø 7 Fr.	Ø 9 Fr.	flexible	semi-rigid	
Scissors, 400 mm	•			•		32-4136
Scissors, 400 mm		•		•		32-4135
Scissors, 400 mm			•	•		32-4135-9
Scissors, 400 mm	•				•	32-4136SR
Scissors, 400 mm		•			•	32-4135SR
Scissors, 400 mm			•		•	32-4135-9SR

Utero Slitting Scissors


For Adults & Adolescents



	Item no.
Utero slitting scissors, retrograde cutting, semi-rigid, Ø 4 Fr., 600 mm	32-4138SR

Hook Scissors

For Adults & Adolescents



	Diameter		Type		Item no.
	Ø 5 Fr.	Ø 9 Fr.	flexible	semi-rigid	
Hook scissors, 400 mm	•		•		32-4140
Hook scissors, 400 mm		•	•		32-4140-9
Hook scissors, 400 mm	•			•	32-4140SR
Hook scissors, 400 mm		•		•	32-4140-9SR

DJ Grasping Forceps

For Adults & Adolescents



	Diameter			Type		Item no.
	Ø 5 Fr.	Ø 7 Fr.	Ø 9 Fr.	flexible	semi-rigid	
DJ grasping forceps, 400 mm	•			•		32-4170
DJ grasping forceps, 400 mm		•		•		32-4170-7
DJ grasping forceps, 400 mm			•	•		32-4170-9
DJ grasping forceps, 400 mm	•				•	32-4170SR
DJ grasping forceps, 400 mm		•			•	32-4170-7SR
DJ grasping forceps, 400 mm			•		•	32-4170-9SR

Flexible Ball Electrodes, Monopolar

For Adults & Adolescents



	Diameter			Item no.
	Ø 3 Fr.	Ø 5 Fr.	Ø 7 Fr.	
Flexible ball electrode, monopolar, 470 mm	•			32-4202-3
Flexible ball electrode, monopolar, 470 mm		•		32-4202
Flexible ball electrode, monopolar, 470 mm			•	32-4150

Flexible Needle Electrodes, Monopolar

For Adults & Adolescents



	Diameter			Item no.
	Ø 3 Fr.	Ø 5 Fr.	Ø 7 Fr.	
Flexible needle electrode, monopolar, 470 mm	•			32-4201-3
Flexible needle electrode, monopolar, 470 mm		•		32-4201
Flexible needle electrode, monopolar, 470 mm			•	32-4155

Flexible Loop Electrodes, Monopolar

For Adults & Adolescents



	Diameter		Item no.
	Ø 5 Fr.	Ø 7 Fr.	
Flexible loop electrode, monopolar, 470 mm	•		32-4203-5
Flexible loop electrode, monopolar, 470 mm		•	32-4202

Flexible Ball Electrode, Bipolar

For Adults & Adolescents



Item no.

Flexible ball electrode, bipolar, Ø 5 Fr., 360 mm

32-4202BP

Flexible Needle Electrode, Bipolar

For Adults & Adolescents



Item no.

Flexible needle electrode, bipolar, Ø 5 Fr., 360 mm

32-4201BP

Dormia Stone Baskets

For Use with 32-4211 / 32-4212



	Diameter		Wires		Item no.
	Ø 5 Fr.	Ø 7 Fr.	4 wires	6 wires	
Dormia stone basket, 600 mm	•		•		32-4204
Dormia stone basket, 600 mm	•		•		32-4206
Dormia stone basket, 600 mm		•		•	32-4209
Dormia stone basket, 600 mm		•		•	32-4210

Handles for Dormia Stone Baskets



	Diameter		Item no.
	Ø 5 Fr.	Ø 7 Fr.	
Handle for dormia stone basket	•		32-4211
Handle for dormia stone basket		•	32-4212

Compact Mini Cystoscopes


Key Features

- **Soft-dilation** sheath in 3 sizes
- Working channel for use with **semi-rigid, flexible instruments** and high-flow cannula
- Large variety of all accessories for all kinds of **pediatric urology procedures**



... more Features

- Silicone valve for safe and easy handling of all accessories
- Light-weight engineering
- "Easy to use" concept
- 2 lateral suction-irrigation stop cocks



Compact Mini Cystoscopes



	Sheath diameter	Work. channel	Field of view		Length		Item no.
	Ø 4.9 - 6.5 Fr. Ø 6 - 7 Fr. Ø 7.5 - 9 Fr.	Ø 4 Fr. Ø 5.1 Fr. Ø 6.8 Fr.	80°	90°	150 mm	220 mm	
Compact Mini Cystoscope, 0°	•	•	•	•	•	•	32-4011
Compact Mini Cystoscope, 0°	•	•	•	•	•	•	32-4012
Compact Mini Cystoscope, 0°	•	•	•	•	•	•	32-4013

Cysto-Urethroscope Sheaths incl. Obturator

2 Lateral Stopcocks / Pediatrics



		Diameter	For use with scope Ø 2 mm Ø 2.7 mm	Color coding	Item no.
Cysto-Urethroscope sheath with 3 Fr. work. channel incl. obturator		Ø 9.5 Fr.	•	●	32-4511
includes	Cysto-Urethroscope sheath with working chan., Ø 9.5 Fr.	32-4511S			
and	Standard obturator for 32-4511S	32-45110			
Cysto-Urethroscope sheath with 3 Fr. work. channel incl. obturator		Ø 11 Fr.	•	●	32-4510
includes	Cysto-Urethroscope sheath with working chan., Ø 11 Fr.	32-4510S			
and	Standard obturator for 32-4070S	32-45100			
Cysto-Urethroscope sheath with 3 Fr. work. channel incl. obturator		Ø 13 Fr.	•	●	32-4298
includes	Cysto-Urethroscope sheath with working chan., Ø 13 Fr.	32-4298S			
and	Standard obturator for 32-4075S	32-42980			

Standard Obturators for Cysto-Urethroscope Sheaths


For Use with Sheaths with Working Channel / Pediatrics



	For use with scope Ø 2 mm Ø 2.7 mm	Diameter	Color coding	Item no.
Standard obturator for cysto-urethroscope-sheath	•	9.5 Fr.	●	32-45110
Standard obturator for cysto-urethroscope-sheath	•	11 Fr.	●	32-45100
Standard obturator for cysto-urethroscope-sheath	•	13 Fr.	●	32-42980

Biopsy Forceps


For Pediatrics



	For use with scope			Diameter			Type		Item no.
	32-4013	32-4012	32-4011	Ø 3 Fr.	Ø 4 Fr.	Ø 5 Fr.	flexible	semi-rigid	
Biopsy forceps, 280 mm	•			•			•		32-4162
Biopsy forceps, 280 mm		•			•		•		32-4162-4
Biopsy forceps, 280 mm			•			•	•		32-4162-5
Biopsy forceps, 280 mm	•			•				•	32-4162SR
Biopsy forceps, 280 mm		•			•		•		32-4162-4SR
Biopsy forceps, 280 mm			•			•		•	32-4162-5SR

Foreign Body Forceps

for Pediatrics



	For use with scope			Diameter			Type		Item no.
	32-4012	32-4012	32-4011	Ø 3 Fr.	Ø 4 Fr.	Ø 5 Fr.	flexible	semi-rigid	
Foreign body forceps, 280 mm	•			•			•		32-4164
Foreign body forceps, 280 mm		•			•		•		32-4164-4
Foreign body forceps, 280 mm			•			•	•		32-4164-5
Foreign body forceps, 280 mm	•			•				•	32-4164SR
Foreign body forceps, 280 mm		•			•		•		32-4164-4SR
Foreign body forceps, 280 mm			•			•		•	32-4164-5SR

Serrated Grasping Forceps


For Pediatrics



	For use with scope			Diameter			Type		Item no.
	32-4013	32-4012	32-4011	Ø 3 Fr.	Ø 4 Fr.	Ø 5 Fr.	flexible	semi-rigid	
Serrated grasping forceps, 280 mm	•			•			•		32-4160
Serrated grasping forceps, 280 mm		•			•		•		32-4160-4
Serrated grasping forceps, 280 mm			•			•	•		32-4160-5
Serrated grasping forceps, 280 mm	•			•				•	32-4160SR
Serrated grasping forceps, 280 mm		•			•		•		32-4160-4SR
Serrated grasping forceps, 280 mm			•			•		•	32-4160-5SR

Scissors


For Pediatrics



	For use with scope		Diameter		Type		Item no.
	32-4012	32-4011	Ø 4 Fr.	Ø 5 Fr.	flexible	semi-rigid	
Scissors, 280 mm	•		•		•		32-4168-4
Scissors, 280 mm		•		•	•		32-4168-5
Scissors, 280 mm	•		•			•	32-4168-4SR
Scissors, 280 mm		•		•		•	32-4168-5SR

Flexible Ball Electrode

For Pediatrics



	Item no.
Flexible ball electrode, monopolar, Ø 3 Fr., 470 mm	32-4202-3

Flexible Needle Electrode

For Pediatrics



	Item no.
Flexible needle electrode, monopolar, Ø 3 Fr., 470 mm	32-4201-3

Telescope Bridge for Diagnostics

For Pediatric Diagnostics



	Item no.
Telescope bridge for diagnostics, suitable for cysto-sheath with 13 Fr.	32-4399

Albarran Deflector

For Pediatrics, with 1 Instrument Channel



	Item no.
Albarran deflector with 1 instrument channel, lockable, suitable for cysto-sheaths with 13 Fr.	32-4306



Flexible Cystoscope

Key Features

- **18.000 pixels** ensure highest image quality and
- A **100° viewing angle** allows for enhanced visibility
- The riveted deflection mechanism **reduces the risk of cracks** at the distal end
- Active dual angular deflection of **210° up and 120° down** for maximized versatility
- A **Ø 5.5 mm insertion tube** featuring a **Ø 2.3 mm working channel** allows for precise and delicate maneuverability




... more Features

- Total working length of 380 mm
- Light-weight design combined with a highly ergonomic handle for increased ease of use
- Compatible with all standard flexible instruments and camera systems
- Comes with purge valve, leakage tester and ETO cap



Flexible Cystoscope

For Use with Flexible Instruments



	Item no.
Flexible Cystoscope , Ø 16.5 Fr. sheath, Ø 6.9 Fr. work. chan., 210°/120° angulation, 100° field of view, 380 mm, includes suction valve, leakage tester and case	32-0000FLEX

Resectoscopy

Table of Contents

FullHD Cystoscopes / **p. 36 - 37**

Bipolar Resectoscopy / **p. 62 - 68**

Universal Resectoscopy / **p. 70 - 77**

Monopolar Resectoscopy / **p. 78 - 88**





Bipolar Resectoscopy

Key Features

- **True bipolar system** featuring a fully controlled flow of current eliminating the risk of unwanted thermal damage or electric exposure
- Specially insulated electrode tips ensure no **accidental tissue coagulation** by a second electrode
- **Convenient electrode replacement** without the need of removing the cable in situ
- **Open system** with enhanced compatibility properties




... more Features

- No risk of TUR syndrome by use of NaCl
- Single bipolar connector and quick assembly
- Excellent cutting, ignition and coagulation performance due to minimized distance between electrodes
- Premium, durable reusable electrodes



Bipolar Working Element, Passive

For Use with Ø 24 / 26 Fr. Bipolar Electrodes, Sheath and Ø 4 mm Scope



	Item no.
Bipolar working element, closed handle, passive	32-4220BP

Bipolar Working Element, Active

For Use with Ø 24 / 26 Fr. Bipolar Electrodes, Sheath and Ø 4 mm Scope



	Item no.
Bipolar working element, closed handle, active	32-4216BP

Bipolar Loop Electrode, 90°

For Use with 0° Scope



	Color coding	Item no.
Loop electrode, 90°, bipolar, Ø 24 / 26 Fr.	●	32-4235BP

Bipolar Loop Electrode, Retrograde


For Use with 30° Scope



	Color coding	Item no.
Loop electrode, retrograde, bipolar, Ø 24 / 26 Fr.	●	32-4240BP

Bipolar Loop Electrode, Straight

For Use with 0° / 12° / 30° / 70° Scope



	Color coding	Item no.
Loop electrode, straight, bipolar, Ø 24 / 26 Fr.	●	32-4245BP

Bipolar Ball Electrode


For Use with 0° / 12° / 30° / 70° Scope



	Color coding	Item no.
Ball electrode Ø 3 mm, bipolar, Ø 24 / 26 Fr.	●	32-4250BP

Bipolar Knife Electrode


For Use with 0° / 12° / 30° / 70° Scope



	Color coding	Item no.
Knife electrode, bipolar, Ø 24 / 26 Fr.	●	32-4265BP

Bipolar Roller Barrel Electrode

For Use with 0° / 12° / 30° / 70° Scope



	Color coding	Item no.
Roller barrel electrode, bipolar, Ø 24 / 26 Fr.	●	32-4266BP

Resectoscopy Sheath incl. Obturator

Continuous-flow, Rotatable / Adults



	Color coding	Item no.
Resectoscopy sheath incl. obturator, continuous-flow, rotatable, Ø 24 / 26 Fr., for use with Ø 4 mm scope	●	32-4205RR
includes Resectoscopy outer sheath, continuous-flow, rotatable		32-4205RR0S
and Resectoscopy inner sheath, continuous-flow, rotatable		32-4205RRIS
and Standard obturator for resectoscopy sheath		32-4227

Resectoscopy Sheath incl. Obturator

Continuous-flow / Adults



		Color coding	Item no.
Resectoscopy sheath incl. obturator , continuous-flow, Ø 24 / 26 Fr., for use with Ø 4 mm scope		●	32-4205
includes	Resectoscopy outer sheath, continuous-flow		32-42050S
and	Resectoscopy inner sheath, continuous-flow		32-4205IS
and	Standard obturator for resectoscopy sheath		32-4227

Resectoscopy Sheath incl. Obturator

1 Stopcock / Adults



		Color coding	Item no.
Resectoscopy sheath incl. obturator , 1 stopcock, Ø 24 / 26 Fr., for use with Ø 4 mm scope		●	32-4222
includes	Resectoscopy sheath, 1 stopcock		32-4222S
and	Standard obturator for resectoscopy sheath		32-4227

Resectoscopy Sheath incl. Obturator

1 Stopcock / Adults



		Color coding	Item no.
Resectoscopy sheath incl. obturator , 1 stopcock, Ø 24 / 26 Fr., for use with Ø 4 mm scope		●	32-4205CV
includes	Resectoscopy sheath, 1 stopcock		32-4205CVS
and	Standard obturator for resectoscopy sheath		32-4227

Standard Resectoscopy Obturator



	Color coding	Item no.
Standard obturator for resectoscopy sheath, Ø 24 / 26 Fr.	●	32-4227

Visual Resectoscopy Obturator




	Color coding	Item no.
Visual obturator for resectoscopy sheath, Ø 24 / 26 Fr.	●	32-4228

Visual Resectoscopy Obturator, Working Channel



	Color coding	Item no.
Visual obturator for resectoscopy sheath with Ø 8 Fr. working channel, Ø 24 / 26 Fr.	●	32-4228-6

Deflecting Resectoscopy Obturator




	Color coding	Item no.
Deflecting obturator for resectoscopy sheath, Ø 24 / 26 Fr.	●	32-4226



Universal Resectoscopy


Key Features

- Combines **monopolar** and **bipolar Resectoscopy** in one system for complete versatility
- **Quick-Lock connector** for convenient assembly and disassembly
- Ergonomic, **light-weight handle design** with finger tang for maximum comfort
- **Complete range** of working elements and electrodes available




... more Features

- Monopolar mode by using a monopolar cable, neutral electrode and Glycine/ Sorbitol irrigation fluid
- Bipolar mode by using a bipolar cable and NaCl irrigation fluid



Universal Working Element, Passive

For Use with Ø 24 / 26 Fr. Universal Electrodes, Sheath and Ø 4 mm Scope



	Item no.
Universal working element, closed handle, passive	32-4220U

Universal Working Element, Active

For Use with Ø 24 / 26 Fr. Universal Electrodes, Sheath and Ø 4 mm Scope



	Item no.
Universal working element, closed handle, active	32-4216U

Universal Working Element, Passive

For Use with Ø 17.5 / 18.5 Fr. Universal Electrodes, Sheath and Ø 2.9 mm Scope



	Item no.
QL Universal working element, closed handle, passive	32-4275U

Universal Loop Electrode 90°

For Use with 0° Scope



	Color coding	Item no.
Loop electrode, straight, universal, Ø 24 / 26 Fr.		32-4235U

Universal Loop Electrodes, Retrograde

For Use with 30° Scope



	For use with sheath Ø 17.5 / 18.5 Fr. Ø 24 / 26 Fr.	Color coding	Item no.
Loop electrode, retrograde, universal	•		32-4287U
Loop electrode, retrograde, universal	•		32-4240U

Universal Loop Electrodes, Straight

For Use with 0° / 12° / 30° / 70° Scope



	For use with sheath Ø 17.5 / 18.5 Fr. Ø 24 / 26 Fr.	Color coding	Item no.
Loop electrode, straight, universal	•		32-4286U
Loop electrode, straight, universal	•		32-4245U

Universal Ball Electrodes

For Use with 0° / 12° / 30° / 70° Scope



	For use with sheath	Color coding	Item no.
	Ø 17.5 / 18.5 Fr. Ø 24 / 26 Fr.		
Ball electrode , Ø 3 mm, universal	•	●	32-4288U
Ball electrode , Ø 3 mm, universal	•	●	32-4250U

Universal Knife Electrodes

For Use with 0° / 12° / 30° / 70° Scope



	For use with sheath	Color coding	Item no.
	Ø 17.5 / 18.5 Fr. Ø 24 / 26 Fr.		
Knife electrode , universal	•	●	32-4289U
Knife electrode , universal	•	●	32-4265U

Universal Vaporization Electrode

For Use with 0° / 12° / 30° / 70° Scope



	Color coding	Item no.
Vaporization electrode , universal, Ø 24 / 26 Fr.	●	32-4255U

Universal Roller Barrel Electrodes

For Use with 0° / 12° / 30° / 70° Scope



	For use with sheath Ø 17.5 / 18.5 Fr. Ø 24 / 26 Fr.	Color coding	Item no.
Roller Barrel electrode, Ø 3 mm, universal	•	●	32-4284U
Roller Barrel electrode, Ø 3 mm, universal	•	●	32-4266U

Resectoscopy Sheaths incl. Obturator

Continuous-flow, Rotatable / Adults & Adolescents



		Diameter Ø 24 / 26 Fr.	For use with scope Ø 2.9 mm Ø 4 mm	Color coding	Item no.
	Resectoscopy sheath incl. obturator, continuous-flow, rotatable	Ø 24 / 26 Fr.	•	●	32-4205RR
includes	Resectoscopy outer sheath, continuous-flow, rotatable	32-4205RR0S			
and	Resectoscopy inner sheath, continuous-flow, rotatable	32-4205RRIS			
and	Standard obturator for resectoscopy sheath	32-4227			
QL	Resectoscopy sheath incl. obturator, continuous-flow, rotatable	Ø 17.5/18.5 Fr.	•	●	32-4282RR
includes	Resectoscopy outer sheath, continuous-flow, rotatable	32-4282RR0S			
and	Resectoscopy inner sheath, continuous-flow, rotatable	32-4282RRIS			
and	Standard obturator for resectoscopy sheath	32-4344			

Resectoscopy Sheaths incl. Obturator

Continuous-flow / Adults & Adolescents



			Diameter	For use with scope	Color coding	Item no.
				Ø 2.9 mm Ø 4 mm		
Resectoscopy sheath incl. obturator, continuous-flow			Ø 24 / 26 Fr.	•	●	32-4205
includes	Resectoscopy outer sheath, continuous-flow	32-42050S				
and	Resectoscopy inner sheath, continuous-flow	32-42051S				
and	Standard obturator for resectoscopy sheath	32-4227				
QL	Resectoscopy sheath incl. obturator, continuous-flow		Ø 17.5 / 18.5 Fr.	•	●	32-4281
includes	Resectoscopy outer sheath, continuous-flow	32-42810S				
and	Resectoscopy inner sheath, continuous-flow	32-42811S				
and	Standard obturator for resectoscopy sheath	32-4344				

Resectoscopy Sheaths incl. Obturator

1 Stopcock / Adults



			Color coding	Item no.
Resectoscopy sheath incl. obturator, 1 stopcock, Ø 24 / 26 Fr., for use with Ø 4 mm scope			●	32-4222
includes	Resectoscopy sheath, 1 stopcock	32-4222S		
and	Standard obturator for resectoscopy sheath	32-4227		

Resectoscopy Sheath incl. Obturator

1 Stopcock / Adults



			Color coding	Item no.
Resectoscopy sheath incl. obturator , 1 stopcock, Ø 24 / 26 Fr., for use with Ø 4 mm scope			●	32-4205CV
includes	Resectoscopy sheath, 1 stopcock	32-4205CVS		
and	Standard obturator for resectoscopy sheath	32-4227		

Standard Resectoscopy Obturators



		For use with sheath	Color coding	Item no.
QL	Standard obturator for resectoscopy sheath	Ø 24 / 26 Fr.	●	32-4227
	Standard obturator for resectoscopy sheath	Ø 17.5 / 18.5 Fr.	●	32-4344

Visual Resectoscopy Obturator



	Color coding	Item no.
Visual obturator for resectoscopy sheath, Ø 24 / 26 Fr.	●	32-4228

Visual Resectoscopy Obturator, Working Channel



	Diameter	Color coding	Item no.
Visual obturator for resectoscopy sheath with Ø 8 Fr. working channel	Ø 24 / 26 Fr.	●	32-4228-6
QL Visual obturator for resectoscopy sheath with Ø 5 Fr. working channel, QL	Ø 17.5 / 18.5 Fr.	●	32-4342-17

Deflecting Resectoscopy Obturator



	Color coding	Item no.
Deflecting obturator for resectoscopy sheath	●	32-4226

Monopolar Resectoscopy

Key Features

- Designed for the treatment of **adults, adolescents and children**
- Ergonomic, **light-weight handle design** with finger tang for maximum comfort
- **Open system** with enhanced compatibility properties
- **Complete range** of working elements and electrodes available




... more Features

- To be used with a monopolar cable, neutral electrode and Glycine/ Sorbitol irrigation fluid



Monopolar Working Element, Passive

For Use with Monopolar Electrodes, Sheath and Ø 2.9 mm / 4 mm Scope



	For use with electrodes			Color coding	Item no.
	Ø 19 Fr.	Ø 24 Fr.	Ø 27 Fr.		
Monopolar working element, closed handle, passive		•	•	Yellow • Black	32-4220
Monopolar working element, closed handle, passive	•			Grey	32-4275

Monopolar Working Element, Active

For Use with Monopolar Electrodes, Sheath and Ø 2.9 mm / 4 mm Scope



	For use with electrodes			Color coding	Item no.
	Ø 19 Fr.	Ø 24 Fr.	Ø 27 Fr.		
Monopolar working element, closed handle, active		•	•	Yellow • Black	32-4216
Monopolar working element, closed handle, active	•			Grey	32-4285

Monopolar Loop Electrodes, 90°

For Use with 0° Scope



	For use with sheath			Color coding	Item no.
	Ø 19 / 22 Fr.	Ø 24 / 26 Fr.	Ø 27 / 28.5 Fr.		
Loop electrode, 90°, monopolar			•	Black	32-4295
Loop electrode, 90°, monopolar		•		Blue	32-4235
Loop electrode, 90°, monopolar	•			Grey	32-4235

Monopolar Loop Electrodes, Retrograde


For Use with 30° Scope



	For use with sheath	Color coding	Item no.
	Ø 19 / 22 Fr. Ø 24 / 26 Fr. Ø 27 / 28.5 Fr.		
Loop electrode, retrograde, monopolar	•	●	32-4300
Loop electrode, retrograde, monopolar	•	●	32-4240
Loop electrode, retrograde, monopolar	•	●	32-4277

Monopolar Loop Electrode, Straight

For Use with 0° / 12° / 30° / 70° Scope



	For use with sheath	Color coding	Item no.
	Ø 19 / 22 Fr. Ø 24 / 26 Fr. Ø 27 / 28.5 Fr.		
Loop electrode, straight, monopolar	•	●	32-4310
Loop electrode, straight, monopolar	•	●	32-4245
Loop electrode, straight, monopolar	•	●	32-4276

Monopolar Ball Electrodes

For Use with 0° / 12° / 30° / 70° Scope



	Ball diameter	For use with sheath	Color coding	Item no.
	Ø 3 mm Ø 5 mm	Ø 19 / 22 Fr. Ø 24 / 26 Fr.		
Ball electrode, monopolar	•	•	●	32-4250
Ball electrode, monopolar	•	•	●	32-4260
Ball electrode, monopolar	•	•	●	32-4278

Monopolar Knife Electrodes


For Use with 0° / 12° / 30° / 70° Scope



	For use with sheath	Color coding	Item no.
	Ø 19 / 22 Fr. Ø 24 / 26 Fr.		
Knife electrode, monopolar	•	•	32-4279
Knife electrode, monopolar	•	•	32-4265

Monopolar Vaporization Electrodes

For Use with 0° / 12° / 30° / 70° Scope



	Tip diameter	Color coding	Item no.
	Ø 3 mm Ø 5 mm		
Vaporization electrode, monopolar, for use with Ø 24 / 26 Fr. sheath	•	•	32-4255
Vaporization electrode, monopolar, for use with Ø 24 / 26 Fr. sheath	•	•	32-4256

Monopolar Cone Electrode

For Use with 0° / 12° / 30° / 70° Scope



	Color coding	Item no.
Cone electrode, monopolar, for use with Ø 24 / 26 Fr. sheath	•	32-4258

Monopolar Roller Barrel Electrodes

For Use with 0° / 12° / 30° / 70° Scope



	Ball diameter		For use with sheath		Color coding	Item no.
	Ø 3 mm	Ø 5 mm	Ø 19 / 22 Fr.	Ø 24 / 26 Fr.		
Roller Barrel electrode, monopolar	•			•	●	32-4266
Roller Barrel electrode, monopolar		•		•	●	32-4271
Roller Barrel electrode, monopolar	•		•		●	32-4274

Resectoscopy Sheaths incl. Obturator

Continuous-Flow, Rotatable / Adults & Adolescents



			Diameter	For use with scope	Color coding	Item no.
				Ø 2.9 mm Ø 4 mm		
Resectoscopy sheath incl. obturator, continuous-flow, rotatable			Ø 27.5/28.5 Fr.	●	●	32-4221RR
includes	Resectoscopy outer sheath, continuous-flow, rotatable	32-4221RR0S				
and	Resectoscopy inner sheath, continuous-flow, rotatable	32-4221RRIS				
and	Standard obturator for resectoscopy sheath	32-4231				
Resectoscopy sheath incl. obturator, continuous-flow, rotatable			Ø 24 / 26 Fr.	●	●	32-4205RR
includes	Resectoscopy outer sheath, continuous-flow, rotatable	32-4205RR0S				
and	Resectoscopy inner sheath, continuous-flow, rotatable	32-4205RRIS				
and	Standard obturator for resectoscopy sheath	32-4227				
Resectoscopy sheath incl. obturator, continuous-flow, rotatable			Ø 19 / 22 Fr.	●	●	32-4292RR
includes	Resectoscopy outer sheath, continuous-flow, rotatable	32-4292RR0S				
and	Resectoscopy inner sheath, continuous-flow, rotatable	32-4292RRIS				
and	Standard obturator for resectoscopy sheath	32-42910				

Resectoscopy Sheaths incl. Obturator

Continuous-Flow / Adults & Adolescents



			Diameter	For use with scope Ø 2.9 mm Ø 4 mm	Color coding	Item no.
Resectoscopy sheath incl. obturator, continuous-flow			Ø 27.5/28.5 Fr.	•	●	32-4221
includes	Resectoscopy outer sheath, continuous-flow	32-42210S				
and	Resectoscopy inner sheath, continuous-flow	32-4221IS				
and	Standard obturator for resectoscopy sheath	32-4231				
Resectoscopy sheath incl. obturator, continuous-flow			Ø 24 / 26 Fr.	•	●	32-4205
includes	Resectoscopy outer sheath, continuous-flow	32-42050S				
and	Resectoscopy inner sheath, continuous-flow	32-4205IS				
and	Standard obturator for resectoscopy sheath	32-4227				
Resectoscopy sheath incl. obturator, continuous-flow			Ø 19 / 22 Fr.	•	●	32-4290
includes	Resectoscopy outer sheath, continuous-flow	32-42900S				
and	Resectoscopy inner sheath, continuous-flow	32-4290IS				
and	Standard obturator for resectoscopy sheath	32-42910				

Resectoscopy Sheaths incl. Obturator

1 Stopcock / Adults



			Diameter	Color coding	Item no.
Resectoscopy sheath incl. obturator, 1 stopcock, for use with Ø 4 mm scope			Ø 27.5/28.5 Fr.	●	32-4225
includes	Resectoscopy sheath, 1 stopcock	32-4225S			
and	Standard obturator for resectoscopy sheath	32-4231			
Resectoscopy sheath incl. obturator, 1 stopcock, for use with Ø 4 mm scope			Ø 24 / 26 Fr.	●	32-4222
includes	Resectoscopy sheath, 1 stopcock	32-4222S			
and	Standard obturator for resectoscopy sheath	32-4227			

Resectoscopy Sheaths incl. Obturator

1 Stopcock / Adults



		Diameter	Color coding	Item no.
Resectoscopy sheath incl. obturator, 1 stopcock		Ø 27.5/28.5 Fr.	●	32-4221CV
includes	Resectoscopy sheath, 1 stopcock	32-4221CVS		
and	Standard obturator for resectoscopy sheath	32-4231		
Resectoscopy sheath incl. obturator, 1 stopcock		Ø 24 / 26 Fr.	●	32-4205CV
includes	Resectoscopy sheath, 1 stopcock	32-4205CVS		
and	Standard obturator for resectoscopy sheath	32-4227		

Standard Resectoscopy Obturators



	For use with sheath	Color coding	Item no.
Standard obturator for resectoscopy sheath	Ø 27 / 28.5 Fr.	●	32-4231
Standard obturator for resectoscopy sheath	Ø 24 / 26 Fr.	●	32-4227
Standard obturator for resectoscopy sheath	Ø 19 / 22 Fr.	●	32-42910

Visual Resectoscopy Obturators




	For use with sheath	Color coding	Item no.
Visual obturator for resectoscopy sheath	Ø 27 / 28.5 Fr.	●	32-4240V0
Visual obturator for resectoscopy sheath	Ø 24 / 26 Fr.	●	32-4228
Visual obturator for resectoscopy sheath	Ø 19 / 22 Fr.	●	32-4342

Visual Resectoscopy Obturators, Working Channel



	Diameter	Color coding	Item no.
Visual obturator for resectoscopy sheath with Ø 9 Fr. working channel	Ø 27.5/28.5 Fr.	●	32-4240-9
Visual obturator for resectoscopy sheath with Ø 8 Fr. working channel	Ø 24 / 26 Fr.	●	32-4228-6

Deflecting Resectoscopy Obturators



	Diameter	Color coding	Item no.
Deflecting obturator for resectoscopy sheath	Ø 27.5/28.5 Fr.	●	32-4229
Deflecting obturator for resectoscopy sheath	Ø 24 / 26 Fr.	●	32-4226

Monopolar Working Element, Passive

For Use with Monopolar Electrodes, Sheath and Ø 2 mm /2.7 mm Scope



	For use with electrodes	Color coding	Item no.
	Ø 11 Fr. Ø 13 Fr.		
Monopolar working element , closed handle, passive	•	●	32-4530
Monopolar working element , closed handle, passive	•	●	32-4296

Monopolar Loop Electrodes 90°, Large



	For use with sheath	Color coding	Item no.
	Ø 11 Fr. Ø 13 Fr.		
Loop electrode 90° , large version, monopolar	•	●	32-4311
Loop electrode 90° , large version, monopolar	•	●	32-4301

Monopolar Loop Electrodes 90°, Small



	For use with sheath	Color coding	Item no.
	Ø 11 Fr. Ø 13 Fr.		
Loop electrode 90° , small version, monopolar	•	●	32-4312
Loop electrode 90° , small version, monopolar	•	●	32-4302

Monopolar Ball Electrodes




	For use with sheath		Color coding	Item no.
	Ø 11 Fr.	Ø 13 Fr.		
Ball electrode 90°, monopolar	•		●	32-4313
Ball electrode 90°, monopolar		•	●	32-4303

Monopolar Knife Electrodes



	For use with sheath		Color coding	Item no.
	Ø 11 Fr.	Ø 13 Fr.		
Knife electrode, monopolar	•		●	32-4314
Knife electrode, monopolar		•	●	32-4304

Monopolar Hook Electrodes



	For use with sheath		Color coding	Item no.
	Ø 11 Fr.	Ø 13 Fr.		
Hook electrode, monopolar	•		●	32-4313WOB
Hook electrode, monopolar		•	●	32-4303WOB

Resectoscopy Sheaths incl. Obturator

1 Stopcock / Pediatrics



			Diameter	For use with scope	Color coding	Item no.
				Ø 2 mm Ø 2.7 mm		
Resectoscopy sheath incl. obturator, 1 stopcock			Ø 11 Fr.	•	●	32-4520
includes	Resectoscopy sheath, 1 stopcock	32-4520S				
and	Standard obturator for resectoscopy sheath	32-45200				
Resectoscopy sheath incl. obturator, 1 stopcock			Ø 13 Fr.	•	●	32-4297
includes	Resectoscopy sheath, 1 stopcock	32-4297S				
and	Standard obturator for resectoscopy sheath	32-42970				

Resectoscopy Obturator

Pediatrics



		For use with sheath	Color coding	Item no.
		Ø 11 Fr. Ø 13 Fr.		
Standard obturator for resectoscopy sheath		•	●	32-45200
Standard obturator for resectoscopy sheath		•	●	32-42970



Lithotripsy

Table of Contents

FullHD Cystoscopes / **p. 36 - 37**

Lithotripsy Sheath & Obturators / **p. 92**

Lithotripsy Speciality Instruments / **p. 93 - 94**





Lithotripsy Sheath incl. Obturator

Central Valve, Quick Lock



			Diameter	For use with scope		Color coding	Item no.
				Ø 4 mm, 0°	Ø 4 mm, 30°		
Lithotripsy sheath incl. obturator, central valve, Quick Lock			Ø 24 Fr.	•	•	•	32-4061
includes	Lithotripsy sheath, central valve, Quick-Lock	32-4061S					
and	Standard obturator, Quick Lock, for 32-4061S	32-4063					

Lithotripsy Standard Obturator

For Use with 32-4061S



		Item no.
Standard obturator for lithotripsy sheath, Ø 24 Fr., Quick-Lock		32-4063

Lithotripsy Visual Obturator


For Use with 32-4061S



		Item no.
Visual obturator for lithotripsy sheath, Ø 24 Fr., , Ø 7 Fr. working channel, Quick-Lock		32-4062

Mauermayer Stone Punch

For Use with 32-4061 / 32-4062 / 32-4063




Item no.

Mauermayer stone punch, for small stones and fragments, Quick-Lock

32-4069

Stone Lithotripter "The Beast"



Item no.

Stone lithotripter, demountable into 3 parts, Quick-Lock

32-4064

Optical Stone Forceps

For Use with 25 Fr. Cystoscopy Sheath plus 32-4067



Item no.

Optical stone forceps, for small stones and stone fragments only

32-4066

Adapter for Optical Stone Forceps



		Item no.
Adapter for optical stoneforceps 32-4066, use with Ackermann resectoscopy outer sheaths		32-4067



Urethrotomy

Table of Contents

FullHD Cystoscopes / **p. 36 - 37**

Working Elements / **p. 98 & 103**

Urethrotomy Sheaths & Obturators / **p. 99 - 100 & 103**

Cold Knives / **p. 101 - 102 & 104 - 105**


Otis Urethrotome / **p. 102**





Monopolar Working Element, Passive

For Use with Cold Knives, without HF !



	Item no.
Monopolar working element , closed handle, passive, for use with Ø 21 Fr. cold knives without HF	32-4220

Monopolar Working Element, Active

For Use with Cold Knives, without HF !



	Item no.
Monopolar working element , closed handle, active, for use with Ø 21 Fr. cold knives without HF	32-4216

Working Element, Passive

For Use with Cold Knives, without HF !



	Item no.
Working element without HF connection , closed handle, passive, for use with Ø 15 Fr. cold knives	32-4220UT

Urethrotomy Sheaths incl. Obturator

2 Lateral Stopcocks / Adults & Adolescents



			Diameter		For use with scope	Item no.
			Ø 15 Fr.	Ø 21 Fr.	Ø 2.9 mm Ø 4 mm	
Urethrotomy sheath incl. obturator, 2 lateral stopcocks				•	•	32-4370
includes	Urethrotomy sheath, 2 lateral stopcocks	32-4370S				
and	Standard obturator for 32-4370S	32-43700				
Urethrotomy sheath incl. obturator, 2 lateral stopcocks			•		•	32-4370-15
includes	Urethrotomy sheath, 2 lateral stopcocks	32-4370-15S				
and	Standard obturator for 32-4370-15S	32-4370-150				

Urethrotomy Outer Sheath for Balloon Catheter



		Item no.
Urethrotome outer sheath for balloon catheter, for use with 32-4370		32-4375

Urethrotomy Outer Sheath for Continuous-Flow



	Item no.
Urethrotome outer sheath for balloon catheter, for use with 32-4370	32-4376

Standard Urethrotomy Obturator

for Adults / Adolescents



	Diameter		For use with scope		Item no.
	Ø 15 Fr.	Ø 21 Fr.	Ø 2.9 mm	Ø 4 mm	
Standard obturator for urethrotomy sheath		•		•	32-43700
Standard obturator for urethrotomy sheath	•		•		32-4370-150

Visual Urethrotomy Obturator



	Item no.
Visual obturator for urethrotomy sheath, for use with 32-4370	32-4372

Wave-cut Cold Knives



	Diameter		For use with scope		Item no.
	Ø 15 Fr.	Ø 21 Fr.	Ø 2.9 mm	Ø 4 mm	
Wave-cut cold knife for visual urethrotome		•		•	32-4384
Wave-cut cold knife for visual urethrotome	•		•		32-4384-15

Half-round Cold Knife



	Item no.
Half-round cold knife for visual urethrotome, Ø 21 Fr., for use with Ø 4 mm scope	32-4389

Straight "Sachse" Cold Knives



	Diameter		For use with scope		Item no.
	Ø 15 Fr.	Ø 21 Fr.	Ø 2.9 mm	Ø 4 mm	
Straight "Sachse" cold knife for visual urethrotome		•		•	32-4390
Straight "Sachse" cold knife for visual urethrotome	•		•		32-4390-15


Hook-shaped Cold Knives



	Diameter		For use with scope		Item no.
	Ø 15 Fr.	Ø 21 Fr.	Ø 2.9 mm	Ø 4 mm	
Hook-shaped cold knife for visual urethrotome		•		•	32-4388
Hook-shaped cold knife for visual urethrotome	•		•		32-4388-15

Telescope Bridge

With 1 Instrument Channel



	Diameter		For use with scope		Item no.
	Ø 15 Fr.	Ø 21 Fr.	Ø 2.9 mm	Ø 4 mm	
Telescope bridge with 1 instrument channel		•		•	32-4380
Telescope bridge with 1 instrument channel	•		•		32-4380-15


Otis Urethrotome



	Item no.
Otis urethrotome	32-4391

Monopolar Working Elements, Passive


For Use with Cold Knives, without HF !



	For use with electrodes		Color coding	Item no.
	Ø 11 Fr.	Ø 13 Fr.		
Monopolar working element , closed handle, passive	•		●	32-4530
Monopolar working element , closed handle, passive		•	●	32-4296

Urethrotomy Sheaths, 2 Lateral Stopcocks

For Use with 32-4370-130 / 32-4370-110 / Pediatrics



			Diameter		For use with scope		Color coding	Item no.
			Ø 11 Fr.	Ø 13 Fr.	Ø 2 mm	Ø 2.7 mm		
Urethrotomy sheath incl. obturator, 2 lateral stopcocks				•		•	●	32-4370-13
includes	Urethrotomy sheath, 2 lateral stopcocks	32-4370-13S						
and	Standard obturator for 32-4370-13S	32-4370-130						
Urethrotomy sheath incl. obturator, 2 lateral stopcocks			•		•		●	32-4370-11
includes	Urethrotomy sheath, 2 lateral stopcocks	32-4370-11S						
and	Standard obturator for 32-4370-11S	32-4370-110						

Urethrotomy Obturators

For Use with 32-4370-13S / 32-4370-11S / Pediatrics



	Diameter		For use with scope		Color coding	Item no.
	Ø 11 Fr.	Ø 13 Fr.	Ø 2 mm	Ø 2.7 mm		
Standard obturator for urethrotomy sheath		•		•	•	32-4370-130
Standard obturator for urethrotomy sheath	•		•		•	32-4370-110

Half-round Cold Knives



	Diameter		For use with scope		Item no.
	Ø 11 Fr.	Ø 13 Fr.	Ø 2 mm, 187 mm	Ø 2.7 mm, 187 mm	
Half-round cold knife for visual urethrotome		•		•	32-4389-13
Half-round cold knife for visual urethrotome	•		•		32-4389-11

Sickle-shaped Cold Knives



	Diameter		For use with scope		Item no.
	Ø 11 Fr.	Ø 13 Fr.	Ø 2 mm, 187 mm	Ø 2.7 mm, 187 mm	
Sickle-shaped cold knife for visual urethrotome		•		•	32-4387-13
Sickle-shaped cold knife for visual urethrotome	•		•		32-4387-11

Hook-shaped Cold Knives



	Diameter		For use with scope	Item no.
	Ø 11 Fr.	Ø 13 Fr.	Ø 2 mm, 187 mm Ø 2.7 mm, 187 mm	
Hook-shaped cold knife for visual urethrotome		•	•	32-4388-13
Hook-shaped cold knife for visual urethrotome	•		•	32-4388-11

Telescope Bridges

For Diagnostics



	Diameter		For use with scope	Item no.
	Ø 11 Fr.	Ø 13 Fr.	Ø 2 mm, 187 mm Ø 2.7 mm, 187 mm	
Telescope bridge for pediatric visual urethrotome		•	•	32-4380-13
Telescope bridge for pediatric visual urethrotome	•		•	32-4380-11

Nephroscopy

Table of Contents

Short & Standard Nephroscopy / **p. 108 - 113**

Compact Nephroscopy / **p. 114 - 117**

Mini Nephroscopy / **p. 118 - 121**





Short & Standard Nephroscopes


Key Features

- **Slim and robust** design with Ø 4.8 mm working channel
- For use with **rigid Nephroscopy instruments** in 400 or 500 mm length
- Available with **45° or 90° angled ocular** and 200 mm or 250 mm working length



... more Features

- Suitable sheaths incl. obturator with a diameter of 24 / 26 Fr.
- Viewing angle of 6°




Short & Standard Nephroscopes, 45°



	Length		Item no.
	200 mm	250 mm	
Short Nephroscope, Ø 4.8 mm, 6° viewing angle, 45° ocular	•		70-8200
Standard Nephroscope, Ø 4.8 mm, 6° viewing angle, 45° ocular		•	70-8200-250

Short & Standard Nephroscopes, 90°



	Length		Item no.
	200 mm	250 mm	
Short Nephroscope, Ø 4.8 mm, 6° viewing angle, 90° ocular	•		70-8201
Standard Nephroscope, Ø 4.8 mm, 6° viewing angle, 90° ocular		•	70-8201-250

Nephroscopy Sheaths incl. Obturator

1 Lateral Stopcock, Rotatable / Short & Standard Nephroscopy



			Diameter	Use with scope	Color coding	Item no.
			Ø 24 Fr. Ø 26 Fr.	in 200 mm in 250 mm		
Nephroscopy sheath incl. obturator, 1 stopcock, rotatable			•	•	•	70-8204-24
includes	Nephroscopy sheath, 1 stopcock, rotatable	70-8204S-24				
and	Standard obturator for 70-8204S-24	70-82040-24				
Nephroscopy sheath incl. obturator, 1 stopcock, rotatable			•	•	•	70-8204
includes	Nephroscopy sheath, 1 stopcock, rotatable	70-8204S				
and	Standard obturator for 70-8204S	70-82040				
Nephroscopy sheath incl. obturator, 1 stopcock, rotatable			•	•	•	70-8205-24
includes	Nephroscopy sheath, 1 stopcock, rotatable	70-8205S-24				
and	Standard obturator for 70-8205S-24	70-82050-24				
Nephroscopy sheath incl. obturator, 1 stopcock, rotatable			•	•	•	70-8205
includes	Nephroscopy sheath, 1 stopcock, rotatable	70-8205S				
and	Standard obturator for 70-8205S	70-82050				

Nephroscopy Obturators

For Use with Sheath with 1 Lateral Stopcock, Rotatable / Short & Standard Nephroscopy



	Diameter	Color coding	Item no.
	Ø 24 Fr. Ø 26 Fr.		
Nephroscopy obturator, cannulated	•	•	70-82040-24
Nephroscopy obturator, cannulated	•	•	70-82040
Nephroscopy obturator, cannulated	•	•	70-82050-24
Nephroscopy obturator, cannulated	•	•	70-82050

Stone Grasper

Short & Standard Nephroscopy



	Item no.
Stone grasping forceps, Ø 3 mm, rigid, ring handle, flushable, 400 mm	70-8220

Biopsy Spoon

Short & Standard Nephroscopy



	Item no.
Biopsy spoon, Ø 3 mm, rigid, ring handle, flushable, 400 mm	70-8225

Serrated Grasper

Short & Standard Nephroscopy



	Item no.
Serrated grasping forceps, Ø 3 mm, rigid, ring handle, flushable, 400 mm	70-8230

Scissors

Short & Standard Nephroscopy



Scissors, Ø 3 mm, rigid, ring handle, flushable, 400 mm

Item no.

70-8235

Fenestrated Stone Grasper

Short & Standard Nephroscopy



Fenestrated stone grasping forceps, Ø 3 mm, spring handle, 400 mm

Item no.

70-8210

3-Prong Grasper

Short & Standard Nephroscopy



3-Prong grasping forceps, Ø 3 mm, spring handle, 400 mm

Item no.

70-8215

Straight Knife

Short & Standard Nephroscopy



	Item no.
Straight knife, Ø 3 mm, 3-ring handle, 400 mm	70-8240

Sickle Knife

Short & Standard Nephroscopy



	Item no.
Sickle knife, Ø 3 mm, 3-ring handle, 400 mm	70-8245

Suction Tube

Short & Standard Nephroscopy



	Item no.
Suction tube, Ø 3 mm, 400 mm	70-8250

Compact Nephroscope

Key Features

- **Continuous-flow**-system
- Ø 18.8 Fr. sheath diameter and integrated rod lens system for **finest image quality**
- **Ideal for bariatric applications** due to 220 mm working length



... more Features

- Slim and robust design
- Oval sheath and round working channel
- Automatic valve
- Viewing angle of 6° allows field of view of 80°



Compact Nephroscope, 45°



	Item no.
Compact Nephroscope 45° , Ø 18.8 Fr., 12.9 Fr. work. ch., 6° viewing angle, 80° field of view, 220 mm	70-8200C

Nephroscopy OP Sheaths incl. Obturator

For Use with Scope 70-8200C & 70-8209A / **Compact Nephroscopy**



	Color coding	Item no.
Nephroscopy OP sheath incl. obturator, for use with Amplatz sheath, Ø 24 Fr.	●	70-8209

Amplatz Sheath for Nephroscopes


For Use with Scope 70-8200C & 70-8209A / **Compact Nephroscopy**



	Color coding	Item no.
Amplatz sheath , cannulated, Ø 27 Fr.	●	70-8209A

Stone Grasping Forceps

For Mini / Compact Nephroscopy




Stone grasping forceps for small stones, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm

Item no.

70-8255SR

Biopsy Spoon

For Mini / Compact Nephroscopy



Biopsy spoon, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm

Item no.

70-8260SR

Scissors

For Mini / Compact Nephroscopy




Scissors, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm

Item no.

70-8265SR

Stone Grasping Forceps

For Mini / Compact Nephroscopy



Stone grasping forceps for medium stones, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm

Item no.

70-8275SR

Stone Grasping Forceps

For Mini / Compact Nephroscopy



Stone grasping forceps for large stones, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm

Item no.

70-8280SR

Mini Nephroscope


Key Features

- Extremely slim design – 12 Fr. Mini Nephroscope **minimizes kidney trauma**
- **FullHD 40.000 pixel** resolution
- **Optic creates a flushing stream** which removes stone fragments
- **Continuous-flow**-system



... more Features

- Suitable operating sheaths have diameters of only Ø 15 Fr., Ø 16.5 Fr. or Ø 21 Fr.
- Working channel with Ø 6.6 Fr. for instruments up to Ø 5 Fr.
- Direction of view of 12° and field of view of 80°
- Kidney stones are fragmented with a lithotripter or laser lithotripsy system



Mini Nephroscope



	Item no.
Mini Nephroscope , Ø 12 Fr. sheath, Ø 6.6 Fr. work. chan., 12° viewing angle, 80° field of view, 220 mm	70-8200MINI

Nephroscopy OP Sheaths incl. Obturator


For Use with Scope 70-8200MINI & 70-8211D / 70-8212D / 70-8213D / **Mini Nephroscopy**



	Diameter	Color coding	Item no.
	Ø 15/18 Fr. Ø 16.5/19.5 Fr. Ø 21/24 Fr.		
Nephroscopy OP sheath incl. obturator , continuous-flow	•	•	70-8213
Nephroscopy OP sheath incl. obturator , continuous-flow	•	•	70-8212
Nephroscopy OP sheath incl. obturator , continuous-flow	•	•	70-8211

Dilators for Nephroscopy OP Sheaths

For Use with Sheaths above / **Mini Nephroscopy**



	Cannulated	Diameter	Color coding	Item no.
	1 x 2 x	Ø 15/18 Fr. Ø 16.5/19.5 Fr. Ø 21/24 Fr.		
Dilator for nephroscopy OP sheath, cannulated	•	•	•	70-8213D
Dilator for nephroscopy OP sheath, cannulated	•	•	•	70-8212D
Dilator for nephroscopy OP sheath, cannulated	•	•	•	70-8211D

Sealing Applicator for Nephroscopy OP Sheath

For Use with Sheaths above / **Mini Nephroscopy**



	Color coding	Item no.
Applicator for sealing , Ø 15/18 Fr., 2 parts in combination, sheath and plunger	●	70-8214

Stone Grasping Forceps


For Mini / Compact Nephroscopy



	Item no.
Stone grasping forceps for small stones , Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm	70-8255SR

Biopsy Spoon

For Mini / Compact Nephroscopy



	Item no.
Biopsy spoon , Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm	70-8260SR

Scissors

For Mini / Compact Nephroscopy



Scissors, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm

Item no.

70-8265SR

Stone Grasping Forceps

For Mini / Compact Nephroscopy



Stone grasping forceps for medium stones, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm

Item no.

70-8275SR

Stone Grasping Forceps

For Mini / Compact Nephroscopy



Stone grasping forceps for large stones, Ø 5 Fr., semi-rigid, ring handle, rotatable, 400 mm

Item no.

70-8280SR

Dilators

For Mini / Compact Nephroscopy



	Diameter							Item no.
	Ø 9 Fr.	Ø 12 Fr.	Ø 15 Fr.	Ø 18 Fr.	Ø 21 Fr.	Ø 24 Fr.	Ø 27 Fr.	Ø 30 Fr.
Dilator	•							
Dilator		•						
Dilator			•					
Dilator				•				
Dilator					•			
Dilator						•		
Dilator							•	
Dilator								•

Guide Wires



	Type		Item no.
	flexible	rigid	
Guide wire for telescope dilation	•		70-8206-FF
Guide wire for telescope dilation		•	70-8206-FS

Telescope Dilation Sheath Set



			Item no.
Telescope dilation sheath set			70-8206
includes	Dilator in Ø 9 Fr.	70-8206-09	
and	Dilator in Ø 12 Fr.	70-8206-12	
and	Dilator in Ø 15 Fr.	70-8206-15	
and	Dilator in Ø 18 Fr.	70-8206-18	
and	Dilator in Ø 21 Fr.	70-8206-21	
and	Dilator in Ø 24 Fr.	70-8206-24	
and	Guide wire, flexible	70-8206-FF	
and	Guide wire, rigid	70-8206-FS	

Uretero-Renoscopes

Table of Contents


Semi-flexible Uretero-Renoscopes / **p. 126 - 127**

Semi-rigid and Flexible Instruments / **p. 128 - 131**

Flexible Uretero-Renoscope / **p. 132 - 133**

Instruments for Flexible Uretero-Renoscope / **p. 134 - 135**





Uretero-Renoscopes

Key Features

- Available in **FullHD and HD resolution**
- **Extra-slim** working channel
- **Soft tapered sheath** allows for easy introduction and **atraumatic dilatation**
- **Semi-flexible** sheath



... more Features

- Available in different working lengths, suitable for upper and lower URS
- 45° angled light cable connector and instrument channels ensure ergonomic handling
- Improved dilatation and continuous suction enhance the field of vision during bleeding
- Leakage-free working channels due to a silicone valve with 2 parallel sealings



Standard FullHD Uretero-Renoscopes



	Sheath diameter	Length	Item no.
	Ø 7.5-9-12-13.2 Fr. Ø 7.5-9-12 Fr.	310 mm 425 mm	
FullHD Standard Uretero-Renoscope, 0°, Ø 6.8 Fr. work. ch., 90° field of view	•	•	70-8000
FullHD Standard Uretero-Renoscope, 0°, Ø 6.8 Fr. work. ch., 90° field of view	•	•	70-8001

Thin HD Uretero-Renoscopes



	Sheath diameter	Length	Item no.
	Ø 6-7.5-9-10.2 Fr. Ø 6-7-9 Fr.	310 mm 425 mm	
HD Thin Uretero-Renoscope, 0°, Ø 5.1 Fr. work. ch., 80° field of view	•	•	70-8000T
HD Thin Uretero-Renoscope, 0°, Ø 5.1 Fr. work. ch., 80° field of view	•	•	70-8001T

Ultra Thin HD Uretero-Renoscopes



	Sheath diameter	Length	Item no.
	Ø 4.9-6.5-8.1-9.3 Fr. Ø 4.9-6.5-8.1 Fr.	310 mm 425 mm	
HD Ultra Thin Uretero-Renoscope, 0°, Ø 4 Fr. work. ch., 80° field of view	•	•	70-8000UT
HD Ultra Thin Uretero-Renoscope, 0°, Ø 4 Fr. work. ch., 80° field of view	•	•	70-8001UT

Stone Grasping Forceps

For Small Stones



	Diameter			Type		Item no.
	Ø 3 Fr.	Ø 4 Fr.	Ø 5 Fr.	flexible	semi-rigid	
Stone grasping forceps, 600 mm	•			•		70-8010-3
Stone grasping forceps, 600 mm		•		•		70-8010-4
Stone grasping forceps, 600 mm			•	•		70-8010
Stone grasping forceps, 600 mm	•				•	70-8010-3SR
Stone grasping forceps, 600 mm		•			•	70-8010-4SR
Stone grasping forceps, 600 mm			•		•	70-8010SR

Stone Grasping Forceps

For Medium Stones



	Diameter		Type		Item no.
	Ø 4 Fr.	Ø 5 Fr.	flexible	semi-rigid	
Stone grasping forceps, 600 mm	•		•		70-8015-4
Stone grasping forceps, 600 mm		•	•		70-8015
Stone grasping forceps, 600 mm	•			•	70-8015-4SR
Stone grasping forceps, 600 mm		•		•	70-8015SR


Stone Grasping Forceps

For Large Stones / Fragments



	Diameter		Type		Item no.
	Ø 4 Fr.	Ø 5 Fr.	flexible	semi-rigid	
Stone grasping forceps, 600 mm	•		•		70-8025-4
Stone grasping forceps, 600 mm		•	•		70-8025
Stone grasping forceps, 600 mm	•			•	70-8025-4SR
Stone grasping forceps, 600 mm		•		•	70-8025SR

Biopsy Spoon




	Diameter			Type		Item no.
	Ø 3 Fr.	Ø 4 Fr.	Ø 5 Fr.	flexible	semi-rigid	
Biopsy spoon, 600 mm	•			•		70-8020-3
Biopsy spoon, 600 mm		•		•		70-8020-4
Biopsy spoon, 600 mm			•	•		70-8020
Biopsy spoon, 600 mm	•				•	70-8020-3SR
Biopsy spoon, 600 mm		•			•	70-8020-4SR
Biopsy spoon, 600 mm			•		•	70-8020SR

Scissors



	Diameter			Type		Item no.
	Ø 3 Fr.	Ø 4 Fr.	Ø 5 Fr.	flexible	semi-rigid	
Scissors, 600 mm	•			•		70-8030-3
Scissors, 600 mm		•		•		70-8030-4
Scissors, 600 mm			•	•		70-8030
Scissors, 600 mm	•				•	70-8030-3SR
Scissors, 600 mm		•			•	70-8030-4SR
Scissors, 600 mm			•		•	70-8030SR

Utero Slitting Scissors



	Item no.
Utero slitting scissors, retrograde cutting, semi-rigid, Ø 4 Fr., 600 mm	70-8032SR

Foreign Body Forceps




Foreign body forceps, teeth interlock, sharp cutting edge, flexible, Ø 4 Fr., 600 mm

Item no.

70-8028

Cupped Grasping Forceps



Cupped grasping forceps, serrated, flexible, Ø 4 Fr., 600 mm

Item no.

70-8023

Serrated Grasping Forceps



Serrated grasping forceps, teeth interlocks, flexible, Ø 4 Fr., 600 mm

Item no.

70-8013

Dormia Stone Basket



Dormia stone basket, Ø 5 Fr., 4 wires, 600 mm

Item no.

70-8035

Handle for Dormia Stone Basket



Handle for dormia stone basket, Ø 5 Fr.

Item no.

32-4211

Cleaning Brush



Cleaning brush, 600 mm

Item no.

70-8040

URS Adapter

For Use with URS Scopes



URS adapter

Item no.

70-8000-100

Silicone Cap Luer Lock

For Use with URS Scopes



Silicone cap luer lock

Item no.

70-8000A

Flexible Uretero-Renoscope


Key Features

- Enhanced active dual angular deflection of **275° up** and **275° down** for maximized versatility
- **Memory effect** in sheath for convenient readjustment
- Large **viewing angle of 88°** for increased visibility
- Total **working length of 680 mm** featuring a **Ø 1.2 mm working channel**



...more Features

- Distal tip diameter of Ø 2.5mm / 7.5 Fr.
- Ø 2.8 mm / 8.4 Fr. insertion tube diameter
- Light-weight design combined with a highly ergonomic handle for increased ease of use
- Compatible with all standard flexible instruments and camera systems
- Comes with leakage tester and ETO cap



Flexible Uretero-Renoscope


for use with flexible instruments



	Item no.
Flexible Uretero-Renoscope , Ø 8.4 Fr. sheath, Ø 3.6 Fr. work. chan., 275° angulation, 60° field of view, 680 mm, includes suction valve, leakage tester and case	70-0000FLEX

Alligator Grasping Forceps

For Use with 70-0000FLEX




Alligator grasping forceps, flexible, Ø 3 Fr., 120 cm

Item no.

70-8119

Biopsy Forceps

For Use with 70-0000FLEX




Biopsy forceps, flexible, Ø 3 Fr., 120 cm

Item no.

70-8100

3-Prong Retriever

For Use with 70-0000FLEX




3-Prong retriever, Ø 1 mm, pointed, flexible, Ø 3 Fr., 120 cm

Item no.

70-8112

Serrated Grasping Forceps

For Use with 70-0000FLEX




Item no.

Serrated grasping forceps, flexible, Ø 3 Fr., 120 cm

70-8118

Rat Tooth

For Use with 70-0000FLEX



Item no.

Rat tooth, 2x1 teeth, flexible, Ø 3 Fr., 120 cm

70-8108

Urology Accessories

Table of Contents

Speciality Instruments / **p. 138 - 140**

Connection Cables / **p. 141 - 142**





Bougies by Dittel, Straight

More Sizes available in the ROLAN General Surgery Catalogue / Chapter 30



	Diameter	Item no.
Dittel Bougie , straight, without channel	Ø 9 Fr.	32-4400
Dittel Bougie , straight, without channel	Ø 10 Fr.	32-4401
Dittel Bougie , straight, without channel	Ø 12 Fr.	32-4402
Dittel Bougie , straight, without channel	Ø 13 Fr.	32-4404
Dittel Bougie , straight, without channel	Ø 15 Fr.	32-4405
Dittel Bougie , straight, without channel	Ø 16 Fr.	32-4406
Dittel Bougie , straight, without channel	Ø 18 Fr.	32-4407
Dittel Bougie , straight, without channel	Ø 19 Fr.	32-4408
Dittel Bougie , straight, without channel	Ø 21 Fr.	32-4409
Dittel Bougie , straight, without channel	Ø 22 Fr.	32-4410
Dittel Bougie , straight, without channel	Ø 24 Fr.	32-4411
Dittel Bougie , straight, without channel	Ø 25 Fr.	32-4412
Dittel Bougie , straight, without channel	Ø 27 Fr.	32-4413
Dittel Bougie , straight, without channel	Ø 28 Fr.	32-4414
Dittel Bougie , straight, without channel	Ø 30 Fr.	32-4415


Bougies by Dittel, Curved

More Sizes available in the ROLAN General Surgery Catalogue / Chapter 30




	Diameter	Item no.
Dittel Bougie , curved, without channel	Ø 8 Fr.	32-4429
Dittel Bougie , curved, without channel	Ø 9 Fr.	32-4430
Dittel Bougie , curved, without channel	Ø 10 Fr.	32-4431
Dittel Bougie , curved, without channel	Ø 12 Fr.	32-4432
Dittel Bougie , curved, without channel	Ø 13 Fr.	32-4433
Dittel Bougie , curved, without channel	Ø 15 Fr.	32-4434
Dittel Bougie , curved, without channel	Ø 16 Fr.	32-4435
Dittel Bougie , curved, without channel	Ø 18 Fr.	32-4436
Dittel Bougie , curved, without channel	Ø 19 Fr.	32-4437
Dittel Bougie , curved, without channel	Ø 21 Fr.	32-4438
Dittel Bougie , curved, without channel	Ø 22 Fr.	32-4439
Dittel Bougie , curved, without channel	Ø 24 Fr.	32-4440
Dittel Bougie , curved, without channel	Ø 25.5 Fr.	32-4441
Dittel Bougie , curved, without channel	Ø 27 Fr.	32-4442
Dittel Bougie , curved, without channel	Ø 28.5 Fr.	32-4443
Dittel Bougie , curved, without channel	Ø 30 Fr.	32-4444

Bladder Syringe



	Item no.
Bladder syringe, 150 ml	32-4395-150

Strauss Penis Clamp



	Item no.
Strauss penis clamp	32-4420

Ellik Evacuator



	Item no.
Ellik evacuator with rubber ball and locking	32-4106
includes Glass retainer only for Ellik evacuator	32-4106E
and Rubber ball for Ellik evacuator	32-4106-100
and Tubing with locking adapter for Ellik evacuator	32-4106-200

Bipolar Resectoscopy Cables

For Use with Bipolar Resectoscope

Round plug instrument side 	Generator side			Item no.
	2-Banana, Storz ¹ Autocon III	Erbe ¹	Martin ¹ / Berchtold ¹ / Aesculap ¹ GK55 and GK 60	
				
	3 m length	4 m length	3 m length	
•				13-1641UR
		•		13-1643UR
			•	13-1644UR

Universal Resectoscopy Cables

For Use with Universal Resectoscopes

Round plugs, 2 instrument sides 	Generator side			Item no.
	2-Banana	Storz ¹ / Erbe ¹	Martin ¹ / Berchtold ¹ / Aesculap ¹ GK55 and GK 60	
				
	3 m length	3 m length	3 m length	
•				13-1641U
		•		13-1643U
			•	13-1644U

Monopolar Resectoscopy Cables

For Use with Monopolar Resectoscopes

Generator side					Item no.
Ackermann / Erbe T ¹ / Martin ¹ /Berchthold ¹	Erbe ACC ¹ / ICC-VIO ¹	Bovie ¹ / Valleylab ¹ / Conmed ¹	Martin ¹ /Berchthold ¹ / Aesculap ¹		
					
3 m length	3 m length	3 m length	3 m length		
Ø 2 mm instrument side, round plug 	•			11-1260UR	
		•		11-1261UR	
			•	11-1262UR	
				•	11-1263UR



Alphanumeric Index

Item Numbers at a Glance

Numeric Item #					
11-1249-100	16, 17, 18, 19,	32-4072	39	32-4106-200	140
	20, 21, 22	32-4072S	38, 39	32-4106E	140
11-1260UR	6, 11, 12, 13, 142	32-4073	38	32-4110	44
11-1261UR	142	32-40730	38	32-4115	6, 44
11-1262UR	142	32-4073S	38	32-4120	6, 46
11-1263UR	142	32-4074	38	32-4120-9	46
32-0000FLEX	59	32-40740	38, 40	32-4120-9SR	46
32-4000HD	23, 24, 37, 95	32-4074S	38	32-4120SR	46
32-4002HD	25, 37	32-4075	38	32-4121	46
32-4010HD	37	32-40750	38, 39, 40	32-4121-4	46
32-4011	53, 55, 56	32-4075S	38, 54	32-4121-4SR	46
32-4012	7, 53, 55, 56	32-4076	40	32-4121SR	46
32-4013	53, 55	32-4077	39	32-4123	46
32-4015HD	37	32-4077S	39	32-4125	46
32-4020HD	6, 8, 9, 11, 12,	32-4080	38	32-4125SR	46
	16, 17, 18, 23, 37, 95	32-40800	38, 39, 40	32-4126	46
32-4022HD	10, 13, 19, 20,	32-4080S	38	32-4126SR	46
	21, 22, 37	32-4081	40	32-4128	47
32-4030HD	37	32-4082	39	32-4130	6, 47
32-4050	41	32-4082S	39	32-4130-9	47
32-4055	6, 41	32-4085	6, 38	32-4130-9SR	47
32-4056	41	32-40850	38, 39, 40	32-4130SR	47
32-4060	42	32-4085S	38	32-4131	47
32-4061	23, 92, 95	32-4086	40	32-4131-4	47
32-4061S	92	32-4087	39	32-4131-4SR	47
32-4062	23, 92, 95	32-4087S	39	32-4131SR	47
32-4063	92	32-4090	23, 38, 95	32-4133	47
32-4064	93	32-40900	38, 39, 40	32-4135	48
32-4065	42	32-4090S	38	32-4135-9	48
32-4066	23, 93, 95	32-4091	40	32-4135-9SR	48
32-4067	42, 93, 94	32-4092	39	32-4135SR	48
32-4068	43	32-4092S	39	32-4136	6, 48
32-4069	23, 93, 95	32-4095	43	32-4136SR	48
32-4070	6, 38	32-4100	43	32-4138SR	48
32-40700	38, 39, 40	32-4105	6, 44	32-4140	48
32-4070S	38, 54	32-4106	6, 11, 12, 13, 23,	32-4140-9	48
32-4071	40		95, 140	32-4140-9SR	48
		32-4106-100	140	32-4140SR	48

32-4150	6, 50		17, 18, 65, 74, 82	32-4245BP	64
32-4155	50	32-4205RRIS	65, 74, 82	32-4245U	72
32-4160	7, 55	32-4205RROS	65, 74, 82	32-4250	12, 80
32-4160-4	55	32-4206	51	32-4250BP	8, 64
32-4160-4SR	55	32-4209	51	32-4250U	9, 73
32-4160-5	55	32-4210	51	32-4255	81
32-4160-5SR	55	32-4211	6, 30, 51, 131	32-4255U	73
32-4160SR	55	32-4212	51	32-4256	81
32-4162	7, 55	32-4216	79, 98	32-4258	81
32-4162-4	55	32-4216BP	63	32-4260	12, 80
32-4162-4SR	55	32-4216U	71	32-4265	12, 81
32-4162-5	55	32-4220	11, 12, 24, 79, 98	32-4265BP	8, 65
32-4162-5SR	55	32-4220BP	8, 63	32-4265U	9, 73
32-4162SR	55	32-4220U	9, 71	32-4266	82
32-4164	55	32-4220UT	25, 98	32-4266BP	65
32-4164-4	55	32-4221	83	32-4266U	74
32-4164-4SR	55	32-4221CV	84	32-4271	82
32-4164-5	55	32-4221CVS	84	32-4274	13, 82
32-4164-5SR	55	32-4221IS	83	32-4275	13, 79
32-4164SR	55	32-4221OS	83	32-4275U	10, 71
32-4168-4	56	32-4221RR	11, 82	32-4276	80
32-4168-4SR	56	32-4221RRIS	82	32-4277	13, 80
32-4168-5	56	32-4221RROS	82	32-4278	80
32-4168-5SR	56	32-4222	66, 75, 83	32-4279	13, 81
32-4170	49	32-4222S	66, 75, 83	32-4281	75
32-4170-7	49	32-4225	83	32-4281IS	75
32-4170-7SR	49	32-4225S	83	32-4281OS	75
32-4170-9	49	32-4226	68, 77, 85	32-4282RR	10, 21, 22, 74
32-4170-9SR	49	32-4227	65, 66, 67, 74, 75, 76, 82, 83, 84	32-4282RRIS	74
32-4170SR	49	32-4228	12, 67, 76, 85	32-4282RROS	74
32-4201	50	32-4228-6	8, 9, 67, 77, 85	32-4284U	74
32-4201-3	50, 56	32-4229	85	32-4285	79
32-4201BP	51	32-4230	8, 9, 10, 11, 12, 13, 24	32-4286U	72
32-4202	6, 50	32-4231	82, 83, 84	32-4287U	10, 72
32-4202-3	50, 56	32-4235	79	32-4288U	10, 73
32-4202BP	51	32-4235BP	63	32-4289U	10, 73
32-4203-5	50	32-4235U	72	32-4290	83
32-4204	6, 51	32-4240	12, 80	32-4290IS	83
32-4205	66, 75, 83	32-4240-9	11, 85	32-4290OS	83
32-4205CV	66, 76, 84	32-4240BP	8, 64	32-42910	82, 83, 84
32-4205CVS	66, 76, 84	32-4240U	9, 72	32-4292RR	13, 19, 20, 82
32-4205IS	66, 75, 83	32-4240VO	85	32-4292RRIS	82
32-4205OS	66, 75, 83	32-4245	80	32-4292RROS	82
32-4205RR	8, 9, 12, 16,			32-4295	11, 79

32-4296	86,103	32-4387-13	104	32-4443	139
32-4297	88	32-4388	102	32-4444	139
32-42970	88	32-4388-11	105	32-4510	54
32-4297S	88	32-4388-13	105	32-45100	54
32-4298	54	32-4388-15	102	32-4510S	54
32-42980	54	32-4389	24,101	32-4511	54
32-4298S	54	32-4389-11	104	32-45110	54
32-4300	11,80	32-4389-13	104	32-4511S	54
32-4301	86	32-4389-15	25	32-4520	88
32-4302	86	32-4390	24,101	32-45200	88
32-4303	87	32-4390-15	25,101	32-4520S	88
32-4303WOB	87	32-4391	24,102	32-4530	86,103
32-4304	87	32-4395-150	6, 11, 12, 13, 24, 140	32-4603	17
32-4306	56			32-4604	18
32-4310	11,80	32-4399	56	32-4605	19, 21
32-4311	86	32-4400	138	32-4606	20,22
32-4312	86	32-4401	138	32-4607	16, 17, 18, 19, 20, 21, 22
32-4313	87	32-4402	138		
32-4313WOB	87	32-4404	138	32-4609	16
32-4314	87	32-4405	138	32-4609-100	16
32-4342	13,85	32-4406	138	32-4609-100R	16
32-4342-17	10,77	32-4407	138	32-4609-200	16
32-4344	74, 75, 76	32-4408	138	32-4609-300	16
32-4370	24, 99, 100	32-4409	138	32-4609-300R	16
32-4370-11	103	32-4410	138	32-4609-400	16
32-4370-110	103, 104	32-4411	138	32-4609-400R	16
32-4370-11S	103	32-4412	138	70-0000FLEX	133,134,135
32-4370-13	103	32-4413	138	70-8000	127
32-4370-130	103, 104	32-4414	138	70-8000-100	131
32-4370-13S	103	32-4415	138	70-8000A	131
32-4370-15	25, 99	32-4420	140	70-8000T	127
32-4370-150	99,100	32-4429	139	70-8000UT	127
32-4370-15S	99	32-4430	139	70-8001	30,127
32-43700	99, 100	32-4431	139	70-8001T	31,127
32-4370S	99	32-4432	139	70-8001UT	32,127
32-4372	100	32-4433	139	70-8010	30,128
32-4375	24, 99	32-4434	139	70-8010-3	32,128
32-4376	24,100	32-4435	139	70-8010-3SR	128
32-4380	24,102	32-4436	139	70-8010-4	31,128
32-4380-11	105	32-4437	139	70-8010-4SR	128
32-4380-13	105	32-4438	139	70-8010SR	128
32-4380-15	25,102	32-4439	139	70-8013	130
32-4384	24,101	32-4440	139	70-8015	30,128
32-4384-15	25,101	32-4441	139	70-8015-4	31,128
32-4387-11	104	32-4442	139	70-8015-4SR	128

70-8015SR	128	70-8205	26, 110	70-8280SR	117, 121
70-8020	30, 129	70-8205-24	26, 110		
70-8020-3	32, 129	70-82050	110		
70-8020-3SR	129	70-82050-24	110		
70-8020-4	31, 129	70-8205S	110		
70-8020-4SR	129	70-8205S-24	110		
70-8020SR	129	70-8206	26, 27, 123		
70-8023	130	70-8206-09	122, 123		
70-8025	30, 128	70-8206-12	122, 123		
70-8025-4	31, 128	70-8206-15	122, 123		
70-8025-4SR	128	70-8206-18	122, 123		
70-8025SR	128	70-8206-21	122, 123		
70-8028	130	70-8206-24	122, 123		
70-8030	129	70-8206-FF	122, 123		
70-8030-3	32, 129	70-8206-FS	122, 123		
70-8030-3SR	129	70-8208	26, 27, 122		
70-8030-4	129	70-8208-30	26, 27, 122		
70-8030-4SR	129	70-8209	28, 115		
70-8030SR	129	70-8209A	28, 115		
70-8032SR	129	70-8210	112		
70-8035	30, 130	70-8211	29, 119		
70-8040	131	70-8211D	29, 119		
70-8100	134	70-8212	29, 119		
70-8108	135	70-8212D	29, 119		
70-8112	134	70-8213	29, 119		
70-8118	135	70-8213D	29, 119		
70-8119	134	70-8214	120		
70-8200	109	70-8215	112		
70-8200-250	109	70-8220	26, 27, 111		
70-8200C	28, 115	70-8225	26, 27, 111		
70-8200MINI	29, 119	70-8230	26, 27, 111		
70-8201	26, 109	70-8235	112		
70-8201-250	27, 109	70-8240	113		
70-8204	27, 110	70-8245	113		
70-8204-24	27, 110	70-8250	113		
70-82040	110	70-8255SR	28, 29, 116, 120		
70-82040-24	110	70-8260SR	28, 29, 116, 120		
70-8204S	110	70-8265SR	116, 121		
70-8204S-24	110	70-8275SR	28, 29, 117, 121		

¹Any companies mentioned in this catalogue including their brand names and related products are protected under intellectual property laws. The use of them does not imply any affiliation with or endorsement by them.

²Specifications, design and accessories in this catalogue are subject to change without any notice or obligation on the part of the manufacturer.

Copyright by Ackermann Instrumente GmbH. All rights reserved. Specifications, design and accessories in this catalogue are subject to change without any notice or obligation on the part of the manufacturer. No part may be copied or reproduced in any form. Revision 09/23



Ackermann Instrumente GmbH
Eisenbahnstrasse 65-67
78604 Rietheim-Weilheim, Germany